

Call System Version 7.08

| 1/1/2018 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | | 1845 |
| Upper Safford | 1924 | | 1885 |
| Middle Safford | 1924 | | 1845 |
| Lower Safford | 1924 | | 1845 |
| Winkelman | 1924 | | 1884 |
| Ashurst-Hayden | 1924 | | 1924 |

NOTES

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 57,618 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 3.23 feet above 1881 per data from ASARCO_Water Plane Depth 18834.23 on 12/29/17.no data.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|------------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 0.0 | 14.0 | 0.0 | 0.0 | 0.0 |
| New Model Valley | 0.0 | 6.4 | 0.0 | 0.0 | 0.0 |
| Valley | 0.0 | 6.9 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 27.3 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|------------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| New Model Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Upper Safford

| | | | | | |
|-----------------|------------|--------------|------------|------------|------------|
| Brown | 3.8 | 10.3 | 3.8 | 3.8 | 0.0 |
| Fourness | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 0.0 | 36.1 | 0.0 | 0.0 | 0.0 |
| Montezuma | 0.0 | 36.7 | 0.0 | 0.0 | 0.0 |
| Union Sunflower | 0.0 | 59.5 | 0.0 | 0.0 | 0.0 |
| Graham | 0.0 | 40.9 | 0.0 | 0.0 | 0.0 |
| Smithville | 0.0 | 15.9 | 0.0 | 0.0 | 0.0 |
| Dodge-Nevada | 0.0 | 25.3 | 0.0 | 0.0 | 0.0 |
| TOTAL | 3.8 | 226.7 | 3.8 | 3.8 | 0.0 |

| | | | | | | |
|-----------------|------------|-------------|-------------|-------------|----|----|
| Brown | 3.8 | 3.8 | 3.8 | 3.8 | No | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Graham | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Dodge-Nevada | 0.0 | 20.0 | 20.0 | 20.0 | No | No |
| TOTAL | 3.8 | 23.8 | 23.8 | 23.8 | | |

Middle Safford

| | | | | | |
|--------------|------------|-------------|------------|------------|------------|
| Curtis | 0.0 | 8.6 | 0.0 | 0.0 | 0.0 |
| Fort Thomas | 0.0 | 15.1 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 23.6 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Curtis | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| ASARCO | N/A | N/A | 9.5 | N/A | 9.5 |
| Kearny | 0.0 | 0.0 | 0.2 | 0.0 | 0.2 |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 9.7 | 0.0 | 9.7 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.2 | 0.2 | 0.2 | 0.2 | Yes | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.2 | 14.2 | 14.2 | 14.2 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|------------|--------------|------------|
| SCIDD | 0.0 | 0.0 | 0.0 |
| Pima Agency | 0.0 | 235.5 | 0.0 |
| TOTAL | 0.0 | 235.5 | 0.0 |

| San Carlos Min. Pool | |
|----------------------|-----|
| CAP Exchange | 0.0 |
| Minimum Pool | 6 |

| | | | | | |
|--------------------|------------|------------|------------|------------|----|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | No |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | No |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | No |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | No |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | |

Available River Flow

| | |
|---------|-------|
| Duncan | 132.7 |
| Safford | 147.7 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 12/31/17 | A-H Data | 1/1/18 |
|------------------|----------|------------------|--------|
| Inflow to CD | 143.0 | AH Diversions | 0.0 |
| Coolidge Release | 5.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 0.0 |
| NFR from CD | 5.0 | NF not Rel. @ AH | 138.0 |
| NF not Released | 138.0 | Total NF @ AH | 138.0 |

| | | | |
|---|-----------------|-------------------|------------------|
| Retaining Water for Mechanical Reasons? | No | | |
| SCIIP releasing retained water? | No | | |
| Reservoir Data | 12/31/17 | Inflow (-) | Available |
| SC Res Elevation | 2,426.14 | Outflow | for Release |
| SC Res Storage | 57,625 | (AF) | to SCIIP |
| SC Res AF | 181 | | 57,619 |

| Water Quality Data | | 12/31/17 |
|-----------------------------|--|----------|
| Water Quality at San Jose | | 0 |
| Water Quality at Smithville | | 0.0 |
| WQ at Fort Thomas | | 0 |
| Water Quality at Geronimo | | 1,163 |
| River Flow at Geronimo | | 147.0 |
| Seasonal Average Salinity | | 2,631 |
| WQ at Anderson Flat | | 0 |

| River Data | Estimated Gage Today | Today 1/1/18 | Yesterday 12/31/17 | Day -1 12/30/17 | Day -2 12/29/17 | Day -3 12/28/17 | Day -4 12/27/17 | Day -5 12/26/17 |
|--------------------------|----------------------|--------------|--------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Gila at Blue Creek | No | 95.0 | 110.0 | 83.0 | 80.0 | 87.0 | 68.0 | 76.0 |
| San Francisco at Clifton | No | 52.0 | 52.0 | 51.0 | 51.0 | 51.0 | 52.0 | 52.0 |
| Duncan-Virden Diversions | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| D-V Gain | | -9.0 | 19.0 | 21.0 | 8.0 | 23.0 | -47.0 | 23.0 |
| Head of Safford | No | 153.0 | 153.0 | 152.0 | 146.0 | 149.0 | 52.0 | 156.0 |
| Safford Diversions | | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Safford Gain | | -10.0 | -9.0 | -10.0 | -8.0 | 61.0 | -9.0 | -12.5 |
| Calva | No | 143.0 | 143.0 | 136.0 | 141.0 | 145.0 | 147.0 | 141.0 |
| San Carlos | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Gila Below Coolidge Dam | No | 5.0 | 5.0 | 6.0 | 78.0 | 6.0 | 6.0 | 6.0 |
| CD-AH Actual Flow Gain | | 4.7 | 6.3 | -39.0 | 31.0 | 29.4 | 32.3 | 22.0 |
| Kelvin | No | 48.0 | 64.0 | 105.0 | 43.0 | 40.0 | 32.0 | 23.0 |
| Winkelman Diversions | | 9.7 | 12.3 | 12.3 | 12.0 | 10.4 | 13.3 | 13.3 |
| AH Spilled & Sluiced | | 0.0 | 0.0 | 0.0 | 25.0 | 25.0 | 25.0 | 0.0 |
| AH Diversions | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.6 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|------|-------------|-------|
| NF Div. | | 0.0 | 0.0 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 0.0 | 0.0 |
| NF as SW | 0.0 | | |
| Total SW | 0.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 0.0 | 0.0 |
| Total Div. | | 0.0 | 0.0 |