

Call System Version 7.08

| 1/16/2019 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | | 1845 |
| Upper Safford | 1924 | | 1845 |
| Middle Safford | 1924 | | 1845 |
| Lower Safford | 1924 | | 1845 |
| Winkelman | 1924 | | 1884 |
| Ashurst-Hayden | 1924 | | 1924 |

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 25,052 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 6.10 feet below 1881 per data from ASARCO _Water Plane Depth 1874.90 on 1/16/19.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|--------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 0.0 | 21.5 | 0.0 | 0.0 | 0.0 |
| New Model | 0.0 | 8.5 | 0.0 | 0.0 | 0.0 |
| Valley | 0.0 | 7.3 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 37.3 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| New Model | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Upper Safford

| | | | | | |
|-----------------|------------|--------------|------------|------------|------------|
| Brown | 0.0 | 8.5 | 0.0 | 0.0 | 0.0 |
| Fourness | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 |
| San Jose | 0.0 | 36.6 | 0.0 | 0.0 | 0.0 |
| Montezuma | 0.0 | 34.6 | 0.0 | 0.0 | 0.0 |
| Union Sunflower | 0.0 | 56.7 | 0.0 | 0.0 | 0.0 |
| Graham | 0.0 | 23.9 | 0.0 | 0.0 | 0.0 |
| Smithville | 0.0 | 23.5 | 0.0 | 0.0 | 0.0 |
| Dodge-Nevada | 0.0 | 20.6 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 205.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----------------|------------|------------|------------|------------|----|----|
| Brown | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Graham | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Middle Safford

| | | | | | |
|--------------|------------|-------------|------------|------------|------------|
| Curtis | 0.0 | 19.2 | 0.0 | 0.0 | 0.0 |
| Fort Thomas | 0.0 | 15.9 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 35.1 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Curtis | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|-------------|------------|-------------|
| ASARCO | N/A | N/A | 12.8 | N/A | 12.8 |
| Kearny | 0.2 | 1.3 | 0.2 | 0.2 | 0.0 |
| Winkelman Ag | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.2 | 3.2 | 13.0 | 0.2 | 12.8 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.2 | 0.2 | 0.2 | 0.2 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.2 | 14.2 | 14.2 | 14.2 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|------------|--------------|-------------|
| SCIDD | 0.0 | 0.0 | 3.9 |
| Pima Agency | 0.0 | 229.8 | 6.1 |
| TOTAL | 0.0 | 229.8 | 10.0 |

| | |
|-----------------------------|-----|
| San Carlos Min. Pool | |
| CAP Exchange | 0.0 |
| Minimum Pool | 1 |

| | | | | | |
|--------------------|------------|------------|------------|------------|-----|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | |

| Available River Flow | |
|----------------------|-------|
| Duncan | 313.0 |
| Safford | 331.0 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 1/15/19 | A-H Data | 1/16/19 |
|------------------|---------|------------------|---------|
| Inflow to CD | 312.0 | AH Diversions | 10.0 |
| Coolidge Release | 3.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 10.0 |
| NFR from CD | 3.0 | NF not Rel. @ AH | 309.0 |
| NF not Released | 309.0 | Total NF @ AH | 329.0 |

| Retaining Water for Mechanical Reasons? | No | | | |
|---|----------|---------|------------|-----------------------|
| SCIIP releasing retained water? | Yes | | | |
| Reservoir Data | | 1/15/19 | Inflow (-) | Available for Release |
| SC Res Elevation | 2,415.36 | | (AF) | to SCIIP |
| SC Res Storage | 25,053 | | | |
| SC Res AF | 566 | | 512 | 25,052 |

| Water Quality Data | | 1/15/19 |
|-----------------------------|--|---------|
| Water Quality at San Jose | | 0 |
| Water Quality at Smithville | | 0.0 |
| WQ at Fort Thomas | | 0 |
| Water Quality at Geronimo | | 573 |
| River Flow at Geronimo | | 292.0 |
| Seasonal Average Salinity | | 2,704 |
| WQ at Anderson Flat | | 0 |

| River Data | Estimated Gage Today | Today 1/16/19 | Yesterday 1/15/19 | Day -1 1/14/19 | Day -2 1/13/19 | Day -3 1/12/19 | Day -4 1/11/19 | Day -5 1/10/19 |
|--------------------------|----------------------|---------------|-------------------|----------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 247.0 | 265.0 | 289.0 | 303.0 | 292.0 | 247.0 | 234.0 |
| San Francisco at Clifton | No | 96.0 | 96.0 | 104.0 | 111.0 | 114.0 | 86.0 | 84.0 |
| Duncan-Virden Diversions | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| D-V Gain | | -56.0 | -72.0 | -88.0 | -82.0 | -45.0 | -45.0 | -50.0 |
| Head of Safford | No | 305.0 | 321.0 | 326.0 | 324.0 | 288.0 | 273.0 | 277.0 |
| Safford Diversions | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Safford Gain | | -34.0 | -36.0 | -43.0 | -38.0 | -34.0 | -35.0 | -43.0 |
| Calva | No | 287.0 | 290.0 | 281.0 | 250.0 | 239.0 | 242.0 | 236.0 |
| San Carlos | No | 30.0 | 22.0 | 12.0 | 14.0 | 14.0 | 16.0 | 21.0 |
| Gila Below Coolidge Dam | No | 59.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| CD-AH Actual Flow Gain | | 30.0 | 47.2 | 25.7 | 48.2 | 48.2 | 80.4 | 150.4 |
| Kelvin | No | 17.0 | 18.0 | 18.0 | 19.0 | 20.0 | 22.0 | 25.0 |
| Winkelman Diversions | | 13.0 | 10.2 | 8.7 | 11.2 | 11.2 | 12.0 | 13.4 |
| AH Spilled & Sluiced | | 10.0 | 20.0 | 10.0 | 20.0 | 20.0 | 20.0 | 70.0 |
| AH Diversions | No | 10.0 | 20.0 | 10.0 | 20.0 | 20.0 | 20.0 | 70.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|------|-------------|-------|
| NF Div. | | 6.1 | 3.9 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | -3.9 |
| Total NF Div. | | 6.1 | 0.0 |
| NF as SW | 3.9 | | |
| Total SW | 3.9 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 3.9 | | |
| Excess SW Div. | | 0.0 | 3.9 |
| Total SW Div. | | 0.0 | 3.9 |
| Total Div. | | 6.1 | 3.9 |