

# Call System Version 7.08

1/23/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1905
Upper Safford	1924		1881
Middle Safford	1924		1901
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

## NOTES

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 62,582 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 2.23 feet above 1881 per data from ASARCO\_Water Plane Depth 1883.23 on 1/23/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	14.0	0.0	0.0	0.0
New Model Valley	6.0	6.4	3.9	3.9	0.0
Valley	0.0	6.9	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>6.0</b>	<b>27.3</b>	<b>3.9</b>	<b>3.9</b>	<b>0.0</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model Valley	6.0	6.0	6.0	6.0	Yes	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>6.0</b>	<b>6.0</b>	<b>6.0</b>	<b>6.0</b>		

## Upper Safford

Brown	2.5	10.3	2.3	2.3	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	36.1	0.0	0.0	0.0
Montezuma	0.0	36.7	0.0	0.0	0.0
Union Sunflower	0.0	59.5	0.0	0.0	0.0
Graham	0.0	40.9	0.0	0.0	0.0
Smithville	0.0	15.9	0.0	0.0	0.0
Dodge-Nevada	0.0	25.3	0.0	0.0	0.0
<b>TOTAL</b>	<b>2.5</b>	<b>226.7</b>	<b>2.3</b>	<b>2.3</b>	<b>0.0</b>

Brown	3.8	3.8	3.8	3.8	Yes	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>3.8</b>	<b>3.8</b>	<b>3.8</b>	<b>3.8</b>		

## Middle Safford

Curtis	0.0	8.6	0.0	0.0	0.0
Fort Thomas	9.6	15.1	5.2	5.2	0.0
<b>TOTAL</b>	<b>9.6</b>	<b>23.6</b>	<b>5.2</b>	<b>5.2</b>	<b>0.0</b>

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	10.0	10.0	10.0	10.0	Yes	No
<b>TOTAL</b>	<b>10.0</b>	<b>10.0</b>	<b>10.0</b>	<b>10.0</b>		

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Winkelman

ASARCO	N/A	N/A	11.3	N/A	11.3
Kearny	0.0	0.0	0.2	0.0	0.2
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>11.5</b>	<b>0.0</b>	<b>11.5</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.2	0.2	0.2	0.2	Yes	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>14.2</b>	<b>14.2</b>	<b>14.2</b>	<b>14.2</b>		

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	0.0
Pima Agency	0.0	235.5	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>235.5</b>	<b>0.0</b>

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	6

SCIDD Call	0.0	0.0	0.0	0.0	No
SCIDD Order	0.0	0.0	0.0	0.0	No
Pima Agency Call	0.0	0.0	0.0	0.0	No
P.A. Order	0.0	0.0	0.0	0.0	No
<b>TOTAL ORDER</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	

### Available River Flow

Duncan	174.6
Safford	164.6

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	1/22/18	A-H Data	1/23/18
Inflow to CD	134.0	AH Diversions	0.0
Coolidge Release	5.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	0.0
NFR from CD	5.0	NF not Rel. @ AH	129.0
NF not Released	129.0	Total NF @ AH	129.0

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No

Reservoir Data		1/22/18	Inflow (-)	Available for Release to SCIIP
SC Res Elevation	2,427.49			
SC Res Storage	62,588		(AF)	62,582
SC Res AF	186		256	

Water Quality Data		1/22/18
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		990
Water Quality at Geronimo		1,371
River Flow at Geronimo		138.0
Seasonal Average Salinity		0
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 1/23/18	Yesterday 1/22/18	Day -1 1/21/18	Day -2 1/20/18	Day -3 1/19/18	Day -4 1/18/18	Day -5 1/17/18
Gila at Blue Creek	No	79.0	73.0	68.0	64.0	87.0	70.0	68.0
San Francisco at Clifton	No	56.0	56.0	56.0	54.0	54.0	52.0	52.0
Duncan-Virden Diversions		3.9	3.9	4.1	4.3	6.5	6.7	4.5
D-V Gain		35.9	39.1	52.3	29.5	28.7	31.5	19.3
Head of Safford	No	161.0	159.0	166.0	164.0	144.0	147.0	149.0
Safford Diversions		7.5	22.1	30.0	32.2	20.0	20.0	22.0
Safford Gain		-2.9	-2.0	-1.8	6.0	1.0	1.0	-0.9
Calva	No	134.0	134.0	130.0	130.0	128.0	128.0	123.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	5.0	5.0	5.0	5.0	5.0	70.0	5.0
CD-AH Actual Flow Gain		6.5	8.2	27.2	26.2	-39.4	25.1	15.2
Kelvin	No	15.0	18.0	23.0	34.0	12.0	12.0	12.0
Winkelman Diversions		11.5	13.2	12.2	11.2	10.6	10.1	0.2
AH Spilled & Sluiced		0.0	0.0	10.0	10.0	10.0	10.0	10.0
AH Diversions	No	0.0	0.0	10.0	10.0	10.0	10.0	10.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		0.0	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		0.0	0.0
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		0.0	0.0