

# Call System Version 7.08

1/26/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1905
Upper Safford	1924		1885
Middle Safford	1924		1901
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

**NOTES**

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 63,292 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 1.98 feet above 1881 per data from ASARCO \_Water Plane Depth 1882.98 on 1/26/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	14.0	0.0	0.0	0.0
New Model Valley	6.0	6.4	3.9	3.9	0.0
Valley	0.0	6.9	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>6.0</b>	<b>27.3</b>	<b>3.9</b>	<b>3.9</b>	<b>0.0</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model Valley	6.0	6.0	6.0	6.0	Yes	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>6.0</b>	<b>6.0</b>	<b>6.0</b>	<b>6.0</b>		

**Upper Safford**

Brown	3.8	10.3	2.7	2.7	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	36.1	0.0	0.0	0.0
Montezuma	0.0	36.7	0.0	0.0	0.0
Union Sunflower	0.0	59.5	0.0	0.0	0.0
Graham	0.0	40.9	0.0	0.0	0.0
Smithville	0.0	15.9	0.0	0.0	0.0
Dodge-Nevada	0.0	25.3	0.0	0.0	0.0
<b>TOTAL</b>	<b>3.8</b>	<b>226.7</b>	<b>2.7</b>	<b>2.7</b>	<b>0.0</b>

Brown	3.8	3.8	3.8	3.8	Yes	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>3.8</b>	<b>3.8</b>	<b>3.8</b>	<b>3.8</b>		

**Middle Safford**

Curtis	0.0	8.6	0.0	0.0	0.0
Fort Thomas	9.6	15.1	9.9	9.9	0.0
<b>TOTAL</b>	<b>9.6</b>	<b>23.6</b>	<b>9.9</b>	<b>9.9</b>	<b>0.0</b>

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	10.0	10.0	10.0	10.0	No	No
<b>TOTAL</b>	<b>10.0</b>	<b>10.0</b>	<b>10.0</b>	<b>10.0</b>		

**Lower Safford**

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

**Winkelman**

ASARCO	N/A	N/A	11.8	N/A	11.8
Kearny	0.0	0.0	0.2	0.0	0.2
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>12.0</b>	<b>0.0</b>	<b>12.0</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.2	0.2	0.2	0.2	Yes	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>14.2</b>	<b>14.2</b>	<b>14.2</b>	<b>14.2</b>		

**SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water**

SCIDD	0.0	0.0	0.0
Pima Agency	0.0	235.5	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>235.5</b>	<b>0.0</b>

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	6

SCIDD Call	0.0	0.0	0.0	0.0	No
SCIDD Order	0.0	0.0	0.0	0.0	No
Pima Agency Call	0.0	0.0	0.0	0.0	No
P.A. Order	0.0	0.0	0.0	0.0	No
<b>TOTAL ORDER</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	

Available River Flow	
Duncan	167.3
Safford	156.4

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	1/25/18	A-H Data	1/26/18
Inflow to CD	144.0	AH Diversions	0.0
Coolidge Release	5.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	0.0
NFR from CD	5.0	NF not Rel. @ AH	139.0
NF not Released	139.0	Total NF @ AH	139.0

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No
Reservoir Data 1/25/18	
SC Res Elevation	2,427.68
SC Res Storage	63,298
SC Res AF	113
Inflow (-)	272
Outflow (AF)	63,292
Available for Release to SCIIP	

Water Quality Data 1/25/18	
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	1,020
Water Quality at Geronimo	1,314
River Flow at Geronimo	145.0
Seasonal Average Salinity	0
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 1/26/18	Yesterday 1/25/18	Day -1 1/24/18	Day -2 1/23/18	Day -3 1/22/18	Day -4 1/21/18	Day -5 1/20/18
Gila at Blue Creek	No	79.0	74.0	80.0	79.0	73.0	68.0	64.0
San Francisco at Clifton	No	56.0	54.0	56.0	56.0	56.0	56.0	54.0
Duncan-Virden Diversions		3.9	3.9	3.9	3.9	3.9	4.1	4.3
D-V Gain		39.9	31.9	32.9	35.9	39.1	52.3	29.5
Head of Safford	No	164.0	164.0	164.0	161.0	159.0	166.0	164.0
Safford Diversions		12.6	7.3	7.7	7.5	22.1	30.0	32.2
Safford Gain		-14.7	-12.3	-11.5	-2.9	-2.0	-1.8	6.0
Calva	No	142.0	144.0	142.0	134.0	134.0	130.0	130.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	5.0	5.0	5.0	5.0	5.0	5.0	5.0
CD-AH Actual Flow Gain		7.0	7.0	5.4	6.5	8.2	27.2	26.2
Kelvin	No	12.0	13.0	14.0	15.0	18.0	23.0	34.0
Winkelman Diversions		12.0	12.0	10.4	11.5	13.2	12.2	11.2
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	10.0	10.0
AH Diversions	No	0.0	0.0	0.0	0.0	0.0	10.0	10.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		0.0	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		0.0	0.0
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		0.0	0.0