

Call System Version 7.08

2/4/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1884		1896
Upper Safford	1845		1885
Middle Safford	1845		1901
Lower Safford	1845		1845
Winkelman	1868		1884
Ashurst-Hayden	1868		1845

NOTES

- 1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
 - 2) Stored Water Available for release 61,394Ac-ft.
 - ****Total on call system Box "Available for release" includes 1) & 2)
- ASARCO Monitor Well Corrected data 1.98 feet above 1881 per data from ASARCO _Water Plane Depth 1882.98 on 2/4/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	6.0	9.5	6.0	6.0	0.0
New Model Valley	6.0	0.2	3.7	0.2	3.5
Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	12.0	9.8	9.7	6.2	3.5

Upper Safford

Brown	3.8	0.0	2.4	0.0	2.4
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	0.0	0.0	0.0	0.0	0.0
Montezuma	0.0	0.0	0.0	0.0	0.0
Union Sunflower	0.0	0.0	0.0	0.0	0.0
Graham	0.0	0.0	0.0	0.0	0.0
Smithville	0.0	0.0	0.0	0.0	0.0
Dodge-Nevada	0.0	0.0	2.4	0.0	2.4
TOTAL	3.8	0.0	4.8	0.0	4.8

Middle Safford

Curtis	0.0	0.0	0.0	0.0	0.0
Fort Thomas	10.0	0.0	5.2	0.0	5.2
TOTAL	10.0	0.0	5.2	0.0	5.2

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	10.0	N/A	10.0
Kearny	0.3	0.0	0.3	0.0	0.3
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
TOTAL	0.3	0.0	10.3	0.0	10.3

SCIIP

The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	123.4
Pima Agency	110.0	235.5	108.6
TOTAL	110.0	235.5	232.0

San Carlos Min. Pool

CAP Exchange 0.0

Minimum Pool 6

Available River Flow

Duncan 139.9
Safford 121.1

Coolidge Data	2/3/18	A-H Data	2/4/18
Inflow to CD	13.0	AH Diversions	232.0
Coolidge Release	265.0	SW @ AH	221.8
SWR from CD	252.0	NF @ AH	10.2
NFR from CD	13.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	20.2

Retaining Water for Mechanical Reasons? No

SCIIP releasing retained water? No

Reservoir Data

2/3/18

SC Res Elevation 2,427.17

SC Res Storage 61,400

SC Res AF -333

Inflow (-)	Available for Release (AF)	to SCIIP
125.0	125.0	125.0
125.0	125.0	125.0
110.0	110.0	110.0
110.0	110.0	110.0
TOTAL ORDER	235.0	235.0

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Water Quality Data

Water Quality Data	2/3/18
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	1,090
Water Quality at Geronimo	1,549
River Flow at Geronimo	130.0
Seasonal Average Salinity	0
WQ at Anderson Flat	0

River Data

	Estimated Gage Today	Today 2/4/18	Yesterday 2/3/18	Day -1 2/2/18	Day -2 2/1/18	Day -3 1/31/18	Day -4 1/30/18	Day -5 1/29/18
Gila at Blue Creek	No	83.0	74.0	54.0	51.0	52.0	47.0	50.0
San Francisco at Clifton	No	56.0	56.0	60.0	60.0	65.0	56.0	56.0
Duncan-Virden Diversions		9.7	9.7	9.7	9.7	3.7	3.7	3.7
D-V Gain		23.7	41.7	47.7	35.7	52.7	52.7	47.9
Head of Safford	No	144.0	146.0	149.0	149.0	152.0	155.0	159.0
Safford Diversions		10.0	7.9	8.3	8.9	10.1	10.8	11.1
Safford Gain		-10.1	-78.1	-8.1	-9.9	-10.2	-12.9	-5.8
Calva	No	128.0	13.0	132.0	132.0	134.0	135.0	140.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	265.0	265.0	250.0	258.0	253.0	253.0	192.0
CD-AH Actual Flow Gain		-12.7	-9.7	20.6	-20.5	-53.6	-24.4	-57.3
Kelvin	No	252.0	249.0	242.0	229.0	223.0	202.0	153.0
Winkelman Diversions		10.3	12.3	11.6	11.5	11.4	11.6	11.7
AH Spilled & Sluiced		10.0	10.0	10.0	10.0	0.0	10.0	10.0
AH Diversions	No	232.0	218.0	257.0	211.0	188.0	146.0	111.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		10.2	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		10.2	0.0
NF as SW	0.0		
Total SW	221.8		
SW Div.		98.4	123.4
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		98.4	123.4
Total Div.		108.6	123.4