

# Call System Version 7.08

2/9/2019	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1888
Upper Safford	1924		1845
Middle Safford	1924		1919
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

## NOTES

- 1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
  - 2) Stored Water Available for release 37,498 Ac-ft.
- \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 5.60 feet below 1881 per data from ASARCO \_Water Plane Depth 1875.40 on 2/8/19.(no data 2/9)

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	23.9	0.0	0.0	0.0
New Model	3.0	16.7	3.0	3.0	0.0
Valley	2.0	7.3	2.0	2.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>5.0</b>	<b>47.8</b>	<b>5.0</b>	<b>5.0</b>	<b>0.0</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model	3.0	3.0	3.0	3.0	No	No
Valley	2.0	2.0	2.0	2.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>5.0</b>	<b>5.0</b>	<b>5.0</b>	<b>5.0</b>		

## Upper Safford

Brown	0.0	11.0	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	37.6	0.0	0.0	0.0
Montezuma	0.0	36.1	0.0	0.0	0.0
Union Sunflower	0.0	61.5	0.0	0.0	0.0
Graham	0.0	42.0	0.0	0.0	0.0
Smithville	0.0	23.8	0.0	0.0	0.0
Dodge-Nevada	0.0	23.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>236.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Middle Safford

Curtis	0.0	19.9	0.0	0.0	0.0
Fort Thomas	15.5	16.0	15.3	15.3	0.0
<b>TOTAL</b>	<b>15.5</b>	<b>35.9</b>	<b>15.3</b>	<b>15.3</b>	<b>0.0</b>

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	15.5	15.5	15.5	15.5	No	No
<b>TOTAL</b>	<b>15.5</b>	<b>15.5</b>	<b>15.5</b>	<b>15.5</b>		

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Winkelman

ASARCO	N/A	N/A	11.0	N/A	11.0
Kearny	0.3	1.3	0.3	0.3	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.3</b>	<b>3.2</b>	<b>11.3</b>	<b>0.3</b>	<b>11.0</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.3	0.3	0.3	0.3	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>14.3</b>	<b>14.3</b>	<b>14.3</b>	<b>14.3</b>		

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	159.2	27.6
Pima Agency	0.0	229.8	42.4
<b>TOTAL</b>	<b>0.0</b>	<b>389.0</b>	<b>70.0</b>

<b>San Carlos Min. Pool</b>	
CAP Exchange	0.0
Minimum Pool	1

SCIDD Call	0.0	0.0	0.0	0.0	Yes
SCIDD Order	0.0	0.0	0.0	0.0	Yes
Pima Agency Call	0.0	0.0	0.0	0.0	Yes
P.A. Order	0.0	0.0	0.0	0.0	Yes
<b>TOTAL ORDER</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	

Available River Flow	
Duncan	649.5
Safford	667.5

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	2/8/19	A-H Data	2/9/19
Inflow to CD	429.0	AH Diversions	70.0
Coolidge Release	3.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	70.0
NFR from CD	3.0	NF not Rel. @ AH	426.0
NF not Released	426.0	Total NF @ AH	566.0

Reservoir Data	2/8/19	Inflow (-)	Available for Release
SC Res Elevation	2,420.05	(AF)	to SCIIP
SC Res Storage	37,499		
SC Res AF	1,135	803	37,498

Water Quality Data		2/8/19
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		790
Water Quality at Geronimo		670
River Flow at Geronimo		290.0
Seasonal Average Salinity		2,704
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 2/9/19	Yesterday 2/8/19	Day -1 2/7/19	Day -2 2/6/19	Day -3 2/5/19	Day -4 2/4/19	Day -5 2/3/19
Gila at Blue Creek	No	276.0	289.0	276.0	214.0	147.0	147.0	135.0
San Francisco at Clifton	No	131.0	138.0	134.0	118.0	93.0	93.0	86.0
Duncan-Virden Diversions		5.0	2.0	0.0	0.0	0.0	0.0	8.4
D-V Gain		-74.0	-86.0	-62.0	-13.0	-23.0	0.4	-9.4
Head of Safford	No	351.0	324.0	270.0	227.0	217.0	213.0	204.0
Safford Diversions		15.3	15.0	15.5	15.5	15.5	8.0	15.1
Safford Gain		-32.0	-31.5	-19.5	-14.5	-23.0	-6.9	-15.0
Calva	No	277.0	223.0	192.0	187.0	182.0	182.0	178.0
San Carlos	No	131.0	206.0	689.0	318.0	364.0	7.0	4.0
Gila Below Coolidge Dam	No	3.0	3.0	3.0	3.0	3.0	3.0	3.0
CD-AH Actual Flow Gain		217.5	287.5	300.7	230.7	160.7	90.7	96.1
Kelvin	No	51.0	79.0	180.0	100.0	136.0	43.0	55.0
Winkelman Diversions		11.3	10.5	12.1	10.3	9.6	13.7	10.3
AH Spilled & Sluiced		70.0	140.0	150.0	150.0	120.0	40.0	60.0
AH Diversions	No	70.0	140.0	150.0	150.0	120.0	40.0	60.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		42.4	27.6
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		42.4	27.6
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		42.4	27.6