

Call System Version 7.08

2/13/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1915		1896
Upper Safford	1900		1845
Middle Safford	1900		1845
Lower Safford	1900		1845
Winkelman	1884		1884
Ashurst-Hayden	1884		1888

NOTES

- 1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
- 2) Stored Water Available for release 59,039 Ac-ft.

****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 2.06 feet above 1881 per data from ASARCO _Water Plane Depth 1883.06 on 2/13/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	11.0	21.3	10.8	10.8	0.0
New Model	6.0	15.4	6.0	6.0	0.0
Valley	0.0	8.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	17.0	44.8	16.8	16.8	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	11.0	11.0	11.0	11.0	No	No
New Model	6.0	6.0	6.0	6.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	17.0	17.0	17.0	17.0		

Upper Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Brown	0.0	9.6	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	22.5	0.0	0.0	0.0
Montezuma	0.0	24.6	0.0	0.0	0.0
Union Sunflower	0.0	46.9	0.0	0.0	0.0
Graham	0.0	21.1	0.0	0.0	0.0
Smithville	0.0	11.3	0.0	0.0	0.0
Dodge-Nevada	0.0	12.0	0.0	0.0	0.0
TOTAL	0.0	150.0	0.0	0.0	0.0

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	15.0	15.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	15.0	15.0		

Middle Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Curtis	0.0	16.5	0.0	0.0	0.0
Fort Thomas	0.0	8.9	0.0	0.0	0.0
TOTAL	0.0	25.4	0.0	0.0	0.0

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Lower Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Winkelman	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
ASARCO	N/A	N/A	8.9	N/A	8.9
Kearny	0.3	1.3	0.3	0.3	0.0
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
TOTAL	0.3	1.3	9.2	0.3	8.9

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.3	0.3	0.3	0.3	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.3	14.3	14.3	14.3		

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	17.0	17.0	97.7
Pima Agency	115.0	235.5	118.3
TOTAL	132.0	252.4	216.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	6

SCIDD Call	95.0	95.0	95.0	95.0	Yes
SCIDD Order	95.0	95.0	95.0	95.0	Yes
Pima Agency Call	115.0	115.0	75.0	75.0	Yes
P.A. Order	115.0	115.0	75.0	75.0	Yes
TOTAL ORDER	210.0	210.0	170.0	170.0	

Available River Flow	
Duncan	151.2
Safford	134.4

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	2/12/18	A-H Data	2/13/18
Inflow to CD	128.0	AH Diversions	216.0
Coolidge Release	234.0	SW @ AH	93.3
SWR from CD	106.0	NF @ AH	122.7
NFR from CD	128.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	132.7

Reservoir Data		2/12/18	Inflow (-)	Available for Release to SCIIP
SC Res Elevation	2,426.53			
SC Res Storage	59,045		(AF)	
SC Res AF	-183		-135	59,039

Water Quality Data		2/12/18
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		0
Water Quality at Geronimo		1,614
River Flow at Geronimo		130.0
Seasonal Average Salinity		0
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 2/13/18	Yesterday 2/12/18	Day -1 2/11/18	Day -2 2/10/18	Day -3 2/9/18	Day -4 2/8/18	Day -5 2/7/18
Gila at Blue Creek	No	62.0	56.0	76.0	57.0	67.0	73.0	76.0
San Francisco at Clifton	No	54.0	54.0	56.0	54.0	54.0	54.0	54.0
Duncan-Virden Diversions		16.8	10.8	10.8	16.0	14.1	14.5	14.5
D-V Gain		43.8	21.8	51.0	40.1	34.5	33.5	35.5
Head of Safford	No	143.0	143.0	146.0	147.0	147.0	149.0	149.0
Safford Diversions		0.0	7.3	6.8	4.6	6.8	6.9	6.9
Safford Gain		-9.8	-11.2	-12.4	-8.3	-10.2	-8.1	-11.7
Calva	No	126.0	128.0	130.0	132.0	132.0	134.0	130.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	194.0	234.0	234.0	234.0	234.0	265.0	265.0
CD-AH Actual Flow Gain		1.2	-2.2	6.3	6.0	-2.0	-3.2	-1.6
Kelvin	No	191.0	214.0	214.0	214.0	223.0	252.0	249.0
Winkelman Diversions		9.2	8.8	14.3	14.0	14.0	12.8	14.4
AH Spilled & Sluiced		10.0	10.0	10.0	10.0	10.0	10.0	10.0
AH Diversions	No	216.0	213.0	216.0	216.0	239.0	239.0	239.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		115.0	7.7
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		115.0	7.7
NF as SW	0.0		
Total SW	93.3		
SW Div.		0.0	87.3
Excess SW	6.0		
Excess SW Div.		3.3	2.7
Total SW Div.		3.3	90.0
Total Div.		118.3	97.7