

Call System Version 7.08

2/26/2020

| | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | | 1881 |
| Upper Safford | 1924 | | 1845 |
| Middle Safford | 1924 | | 1845 |
| Lower Safford | 1924 | | 1845 |
| Winkelman | 1924 | | 1884 |
| Ashurst-Hayden | 1924 | | 1924 |

NOTES

1) Stored Water Available for release 101,701 Ac-ft.
ASARCO Monitor Well Data 7.23 feet above 1881 per data from ASARCO_Water Plane Depth 1888.23 on 2/26/2020.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|------------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 7.0 | 28.6 | 7.0 | 7.0 | 0.0 |
| New Model Valley | 0.0 | 12.9 | 0.0 | 0.0 | 0.0 |
| Valley | 0.0 | 6.7 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 7.0 | 48.3 | 7.0 | 7.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|------------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 7.0 | 7.0 | 7.0 | 7.0 | No | No |
| New Model Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 7.0 | 7.0 | 7.0 | 7.0 | | |

Upper Safford

| | | | | | |
|-----------------|------------|--------------|------------|------------|------------|
| Brown | 0.0 | 9.6 | 0.0 | 0.0 | 0.0 |
| Fourness | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 |
| San Jose | 0.0 | 25.3 | 0.0 | 0.0 | 0.0 |
| Montezuma | 0.0 | 18.6 | 0.0 | 0.0 | 0.0 |
| Union Sunflower | 0.0 | 40.9 | 0.0 | 0.0 | 0.0 |
| Graham | 0.0 | 20.7 | 0.0 | 0.0 | 0.0 |
| Smithville | 0.0 | 14.1 | 0.0 | 0.0 | 0.0 |
| Dodge-Nevada | 0.0 | 11.3 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 142.2 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----------------|------------|------------|------------|------------|----|----|
| Brown | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Graham | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Middle Safford

| | | | | | |
|--------------|------------|-------------|------------|------------|------------|
| Curtis | 0.0 | 4.4 | 0.0 | 0.0 | 0.0 |
| Fort Thomas | 0.0 | 12.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 16.4 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Curtis | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| ASARCO | N/A | N/A | 5.9 | N/A | 5.9 |
| Kearny | 0.3 | 1.3 | 0.3 | 0.3 | 0.0 |
| Winkelman Ag | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.3 | 3.2 | 6.2 | 0.3 | 5.9 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.3 | 0.3 | 0.3 | 0.3 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.3 | 14.3 | 14.3 | 14.3 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|-------------|--------------|--------------|
| SCIDD | 20.0 | 87.1 | 86.2 |
| Pima Agency | 25.0 | 226.8 | 107.8 |
| TOTAL | 45.0 | 313.8 | 194.0 |

| San Carlos Min. Pool | |
|----------------------|-----|
| CAP Exchange | 0.0 |
| Minimum Pool | 1 |

| | | | | | |
|--------------------|-------------|-------------|-------------|-------------|-----|
| SCIDD Call | 20.0 | 20.0 | 20.0 | 20.0 | Yes |
| SCIDD Order | 20.0 | 20.0 | 20.0 | 20.0 | Yes |
| Pima Agency Call | 25.0 | 25.0 | 25.0 | 25.0 | Yes |
| P.A. Order | 25.0 | 25.0 | 25.0 | 25.0 | Yes |
| TOTAL ORDER | 45.0 | 45.0 | 45.0 | 45.0 | |

| Available River Flow | |
|----------------------|---------|
| Duncan | 2,689.0 |
| Safford | 2,905.0 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 2/25/20 | A-H Data | 2/26/20 |
|------------------|---------|------------------|---------|
| Inflow to CD | 1,449.0 | AH Diversions | 194.0 |
| Coolidge Release | 57.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 194.0 |
| NFR from CD | 57.0 | NF not Rel. @ AH | 1,392.0 |
| NF not Released | 1,392.0 | Total NF @ AH | 1,780.0 |

| Retaining Water for Mechanical Reasons? | No |
|---|----------|
| SCIIP releasing retained water? | No |
| Reservoir Data 2/25/20 | |
| SC Res Elevation | 2,436.91 |
| SC Res Storage | 101,702 |
| SC Res AF | 2,533 |
| Inflow (-) | 3,925 |
| Outflow (AF) | 101,701 |
| Available for Release to SCIIP | 101,701 |

| Water Quality Data 2/25/20 | |
|-----------------------------|---------|
| Water Quality at San Jose | 0 |
| Water Quality at Smithville | 0.0 |
| WQ at Fort Thomas | 0 |
| Water Quality at Geronimo | 230 |
| River Flow at Geronimo | 1,950.0 |
| Seasonal Average Salinity | 3,490 |
| WQ at Anderson Flat | 0 |

| River Data | Estimated Gage Today | Today 2/26/20 | Yesterday 2/25/20 | Day -1 2/24/20 | Day -2 2/23/20 | Day -3 2/22/20 | Day -4 2/21/20 | Day -5 2/20/20 |
|--------------------------|----------------------|---------------|-------------------|----------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 1,310.0 | 2,210.0 | 1,820.0 | 442.0 | 353.0 | 353.0 | 370.0 |
| San Francisco at Clifton | No | 1,250.0 | 1,730.0 | 2,410.0 | 1,990.0 | 324.0 | 329.0 | 345.0 |
| Duncan-Virden Diversions | | 7.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| D-V Gain | | 34.0 | 104.0 | 174.0 | 104.0 | 34.0 | 10.0 | 36.0 |
| Head of Safford | No | 2,810.0 | 3,140.0 | 2,800.0 | 1,350.0 | 716.0 | 725.0 | 730.0 |
| Safford Diversions | | 0.0 | 0.0 | 14.1 | 12.2 | 8.2 | 13.7 | 14.1 |
| Safford Gain | | -250.8 | -180.8 | -110.8 | -40.8 | -47.3 | -51.9 | -55.0 |
| Calva | No | 1,940.0 | 1,300.0 | 902.0 | 667.0 | 664.0 | 664.0 | 680.0 |
| San Carlos | No | 91.0 | 149.0 | 269.0 | 163.0 | 7.0 | 9.0 | 8.0 |
| Gila Below Coolidge Dam | No | 52.0 | 57.0 | 56.0 | 56.0 | 57.0 | 56.0 | 54.0 |
| CD-AH Actual Flow Gain | | 254.8 | 184.8 | 133.8 | 63.8 | 26.8 | 23.8 | 20.8 |
| Kelvin | No | 119.0 | 151.0 | 215.0 | 237.0 | 65.0 | 61.0 | 62.0 |
| Winkelman Diversions | | 6.2 | 6.8 | 8.0 | 6.8 | 6.8 | 6.8 | 6.8 |
| AH Spilled & Sluiced | | 194.0 | 5.0 | 30.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| AH Diversions | No | 194.0 | 229.0 | 299.0 | 109.0 | 71.0 | 66.0 | 63.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|-------|-------------|-------|
| NF Div. | | 25.0 | 20.0 |
| Excess NF | 149.0 | | |
| Excess NF Div | | 82.8 | 66.2 |
| Total NF Div. | | 107.8 | 86.2 |
| NF as SW | 0.0 | | |
| Total SW | 0.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 0.0 | 0.0 |
| Total Div. | | 107.8 | 86.2 |