

Call System Version 7.08

| 3/2/2019 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | | 1894 |
| Upper Safford | 1924 | | 1924 |
| Middle Safford | 1924 | | 1924 |
| Lower Safford | 1924 | | 1845 |
| Winkelman | 1924 | | 1884 |
| Ashurst-Hayden | 1924 | | 1924 |

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 69,952 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 5.45 feet below 1881 per data from ASARCO _Water Plane Depth 1875.55 on 3/1/19.
 No Data on 3/2/2019.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|--------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 0.0 | 23.9 | 0.0 | 0.0 | 0.0 |
| New Model | 5.0 | 16.7 | 3.5 | 3.5 | 0.0 |
| Valley | 0.0 | 7.3 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 5.0 | 47.8 | 3.5 | 3.5 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 0.0 | 0.0 | 10.0 | 10.0 | No | No |
| New Model | 5.0 | 5.0 | 5.0 | 5.0 | Yes | No |
| Valley | 0.0 | 0.0 | 7.3 | 7.3 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 5.0 | 5.0 | 22.3 | 22.3 | | |

Upper Safford

| | | | | | |
|-----------------|-------------|--------------|-------------|-------------|------------|
| Brown | 6.3 | 11.1 | 6.0 | 6.0 | 0.0 |
| Fourness | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 0.0 | 37.6 | 0.0 | 0.0 | 0.0 |
| Montezuma | 0.0 | 36.2 | 0.0 | 0.0 | 0.0 |
| Union Sunflower | 0.0 | 61.9 | 0.0 | 0.0 | 0.0 |
| Graham | 22.5 | 42.0 | 22.5 | 22.5 | 0.0 |
| Smithville | 23.3 | 23.3 | 22.8 | 22.8 | 0.0 |
| Dodge-Nevada | 0.0 | 23.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 52.1 | 237.2 | 51.3 | 51.3 | 0.0 |

| | | | | | | |
|-----------------|-------------|-------------|-------------|-------------|----|----|
| Brown | 6.3 | 6.3 | 6.3 | 6.3 | No | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Graham | 22.5 | 22.5 | 42.0 | 42.0 | No | No |
| Smithville | 23.3 | 23.3 | 23.3 | 23.3 | No | No |
| Dodge-Nevada | 0.0 | 0.0 | 23.0 | 23.0 | No | No |
| TOTAL | 52.1 | 52.1 | 94.6 | 94.6 | | |

Middle Safford

| | | | | | |
|--------------|-------------|-------------|-------------|-------------|------------|
| Curtis | 20.0 | 20.0 | 20.0 | 20.0 | 0.0 |
| Fort Thomas | 0.0 | 16.1 | 0.0 | 0.0 | 0.0 |
| TOTAL | 20.0 | 36.0 | 20.0 | 20.0 | 0.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|----|----|
| Curtis | 20.0 | 20.0 | 20.0 | 20.0 | No | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 20.0 | 20.0 | 20.0 | 20.0 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|-------------|------------|-------------|
| ASARCO | N/A | N/A | 13.0 | N/A | 13.0 |
| Kearny | 0.4 | 1.3 | 0.4 | 0.4 | 0.0 |
| Winkelman Ag | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.4 | 3.2 | 13.4 | 0.4 | 13.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.4 | 0.4 | 0.4 | 0.4 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.4 | 14.4 | 14.4 | 14.4 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|------------|--------------|--------------|
| SCIDD | 0.0 | 170.1 | 78.8 |
| Pima Agency | 0.0 | 229.8 | 121.2 |
| TOTAL | 0.0 | 399.9 | 200.0 |

| | |
|-----------------------------|-----|
| San Carlos Min. Pool | |
| CAP Exchange | 0.0 |
| Minimum Pool | 1 |

| | | | | | |
|--------------------|------------|------------|------------|------------|-----|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | |

| Available River Flow | |
|----------------------|---------|
| Duncan | 1,659.0 |
| Safford | 1,532.5 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 3/1/19 | A-H Data | 3/2/19 |
|------------------|--------|------------------|---------|
| Inflow to CD | 920.0 | AH Diversions | 200.0 |
| Coolidge Release | 3.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 200.0 |
| NFR from CD | 3.0 | NF not Rel. @ AH | 917.0 |
| NF not Released | 917.0 | Total NF @ AH | 1,317.0 |

| | | | |
|---|----------|--------------|-----------------------|
| Retaining Water for Mechanical Reasons? | No | | |
| SCIIP releasing retained water? | No | | |
| Reservoir Data | 3/1/19 | Inflow (-) | Available for Release |
| SC Res Elevation | 2,429.43 | Outflow (AF) | to SCIIP |
| SC Res Storage | 69,953 | | |
| SC Res AF | 1,924 | 1,803 | 69,952 |

| Water Quality Data | 3/1/19 |
|-----------------------------|--------|
| Water Quality at San Jose | 0 |
| Water Quality at Smithville | 730.0 |
| WQ at Fort Thomas | 0 |
| Water Quality at Geronimo | 418 |
| River Flow at Geronimo | 657.0 |
| Seasonal Average Salinity | 418 |
| WQ at Anderson Flat | 0 |

| River Data | Estimated Gage Today | Today 3/2/19 | Yesterday 3/1/19 | Day -1 2/28/19 | Day -2 2/27/19 | Day -3 2/26/19 | Day -4 2/25/19 | Day -5 2/24/19 |
|--------------------------|----------------------|--------------|------------------|----------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 333.0 | 298.0 | 231.0 | 242.0 | 317.0 | 330.0 | 444.0 |
| San Francisco at Clifton | No | 467.0 | 379.0 | 339.0 | 292.0 | 265.0 | 255.0 | 298.0 |
| Duncan-Virden Diversions | | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| D-V Gain | | 40.5 | 22.5 | -47.5 | -117.5 | -144.5 | -199.3 | -129.3 |
| Head of Safford | No | 714.0 | 648.0 | 558.0 | 461.0 | 437.0 | 449.0 | 470.0 |
| Safford Diversions | | 71.3 | 45.3 | 44.7 | 23.8 | 0.0 | 0.0 | 0.0 |
| Safford Gain | | 44.3 | 38.7 | 35.8 | 19.0 | 19.0 | 24.0 | 43.0 |
| Calva | No | 647.0 | 552.0 | 473.0 | 456.0 | 468.0 | 494.0 | 601.0 |
| San Carlos | No | 265.0 | 368.0 | 552.0 | 604.0 | 707.0 | 307.0 | 344.0 |
| Gila Below Coolidge Dam | No | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| CD-AH Actual Flow Gain | | 509.2 | 579.2 | 649.2 | 579.2 | 509.2 | 439.2 | 369.2 |
| Kelvin | No | 115.0 | 222.0 | 339.0 | 470.0 | 528.0 | 470.0 | 626.0 |
| Winkelman Diversions | | 13.4 | 13.8 | 12.4 | 11.2 | 13.4 | 12.2 | 11.3 |
| AH Spilled & Sluiced | | 200.0 | 220.0 | 400.0 | 460.0 | 570.0 | 450.0 | 500.0 |
| AH Diversions | Yes | 200.0 | 220.0 | 400.0 | 460.0 | 570.0 | 450.0 | 500.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|------|-------------|-------|
| NF Div. | | 121.2 | 78.8 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 121.2 | 78.8 |
| NF as SW | 0.0 | | |
| Total SW | 0.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 0.0 | 0.0 |
| Total Div. | | 121.2 | 78.8 |