

Call System Version 7.08

| 3/7/2019 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | | 1924 |
| Upper Safford | 1924 | | 1924 |
| Middle Safford | 1924 | | 1924 |
| Lower Safford | 1924 | | 1845 |
| Winkelman | 1924 | | 1884 |
| Ashurst-Hayden | 1924 | | 1924 |

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 78,178 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 5.35 feet below 1881 per data from ASARCO _Water Plane Depth 1875.65 on 3/7/19.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|--------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 15.0 | 23.9 | 15.0 | 15.0 | 0.0 |
| New Model | 5.0 | 16.7 | 5.0 | 5.0 | 0.0 |
| Valley | 7.3 | 7.3 | 6.9 | 6.9 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 27.3 | 47.8 | 26.9 | 26.9 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| New Model | 5.0 | 5.0 | 5.0 | 5.0 | No | No |
| Valley | 7.3 | 7.3 | 7.3 | 7.3 | Yes | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 27.3 | 27.3 | 27.3 | 27.3 | | |

| Upper Safford | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|-----------------|------------------|----------------------|----------------|-------------------|------------------|
| Brown | 6.3 | 11.1 | 6.2 | 6.2 | 0.0 |
| Fourness | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 25.0 | 37.6 | 25.0 | 25.0 | 0.0 |
| Montezuma | 26.4 | 36.2 | 24.7 | 24.7 | 0.0 |
| Union Sunflower | 55.0 | 61.9 | 55.0 | 55.0 | 0.0 |
| Graham | 42.0 | 42.0 | 41.1 | 41.1 | 0.0 |
| Smithville | 23.3 | 23.3 | 22.2 | 22.2 | 0.0 |
| Dodge-Nevada | 23.0 | 23.0 | 23.0 | 23.0 | 0.0 |
| TOTAL | 200.9 | 237.2 | 197.2 | 197.1 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|-----------------|--------------|---------------|---------------|---------------|--------------------|-------------------|
| Brown | 6.3 | 0.0 | 0.0 | 0.0 | No | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 25.0 | 25.0 | 25.0 | 25.0 | No | No |
| Montezuma | 26.4 | 26.4 | 26.4 | 26.4 | Yes | No |
| Union Sunflower | 55.0 | 61.9 | 61.9 | 61.9 | No | No |
| Graham | 42.0 | 42.0 | 42.0 | 42.0 | No | No |
| Smithville | 23.3 | 23.3 | 23.3 | 23.3 | No | No |
| Dodge-Nevada | 23.0 | 23.0 | 23.0 | 23.0 | No | No |
| TOTAL | 201.0 | 201.6 | 201.6 | 201.6 | | |

| Middle Safford | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|----------------|------------------|----------------------|----------------|-------------------|------------------|
| Curtis | 20.0 | 20.0 | 17.9 | 17.9 | 0.0 |
| Fort Thomas | 0.0 | 16.1 | 0.0 | 0.0 | 0.0 |
| TOTAL | 20.0 | 36.0 | 17.9 | 17.9 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Curtis | 20.0 | 20.0 | 20.0 | 20.0 | Yes | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 20.0 | 20.0 | 20.0 | 20.0 | | |

| Lower Safford | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|---------------|------------------|----------------------|----------------|-------------------|------------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

| Winkelman | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|--------------|------------------|----------------------|----------------|-------------------|------------------|
| ASARCO | N/A | N/A | 9.2 | N/A | 9.2 |
| Kearny | 0.4 | 1.3 | 0.4 | 0.4 | 0.0 |
| Winkelman Ag | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.4 | 3.2 | 9.6 | 0.4 | 9.2 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.4 | 0.4 | 0.4 | 0.4 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.4 | 14.4 | 14.4 | 14.4 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| SCIIP | Call Entitlement | Priority Entitlement | Total Diverted |
|--------------|------------------|----------------------|----------------|
| SCIDD | 0.0 | 170.1 | 15.8 |
| Pima Agency | 0.0 | 229.8 | 24.2 |
| TOTAL | 0.0 | 399.9 | 40.0 |

| San Carlos Min. Pool | Call Entitlement |
|----------------------|------------------|
| CAP Exchange | 0.0 |
| Minimum Pool | 1 |

| SCIIP Call | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes | Yes |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes | Yes |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes | Yes |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes | Yes |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | | |

| Available River Flow | Duncan | Safford |
|----------------------|---------|---------|
| | 1,181.8 | 1,193.5 |

| Sudden Freshets in UV | Yes/No |
|--------------------------|--------|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 3/6/19 | A-H Data | 3/7/19 |
|------------------|--------|------------------|---------|
| Inflow to CD | 970.0 | AH Diversions | 40.0 |
| Coolidge Release | 3.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 40.0 |
| NFR from CD | 3.0 | NF not Rel. @ AH | 967.0 |
| NF not Released | 967.0 | Total NF @ AH | 1,047.0 |

| Reservoir Data | 3/6/19 | Inflow (-) | Available for Release to SCIIP |
|------------------|----------|--------------|--------------------------------|
| SC Res Elevation | 2,431.51 | Outflow (AF) | 78,178 |
| SC Res Storage | 78,179 | | |
| SC Res AF | 1,974 | 1,773 | 78,178 |

| Water Quality Data | 3/6/19 |
|-----------------------------|--------|
| Water Quality at San Jose | 420 |
| Water Quality at Smithville | 610.0 |
| WQ at Fort Thomas | 0 |
| Water Quality at Geronimo | 367 |
| River Flow at Geronimo | 860.0 |
| Seasonal Average Salinity | 373 |
| WQ at Anderson Flat | 0 |

| River Data | Estimated Gage Today | Today 3/7/19 | Yesterday 3/6/19 | Day -1 3/5/19 | Day -2 3/4/19 | Day -3 3/3/19 | Day -4 3/2/19 | Day -5 3/1/19 |
|--------------------------|----------------------|--------------|------------------|---------------|---------------|---------------|---------------|---------------|
| Gila at Blue Creek | No | 401.0 | 438.0 | 430.0 | 395.0 | 361.0 | 333.0 | 298.0 |
| San Francisco at Clifton | No | 570.0 | 577.0 | 630.0 | 555.0 | 486.0 | 467.0 | 379.0 |
| Duncan-Virden Diversions | | 26.9 | 21.8 | 21.6 | 22.3 | 5.0 | 3.5 | 3.5 |
| D-V Gain | | -155.7 | -85.7 | -15.7 | 24.0 | -29.5 | 40.5 | 22.5 |
| Head of Safford | No | 827.0 | 871.0 | 912.0 | 866.0 | 767.0 | 714.0 | 648.0 |
| Safford Diversions | | 215.1 | 217.2 | 111.4 | 110.5 | 66.0 | 71.3 | 45.3 |
| Safford Gain | | 133.4 | 63.4 | 73.5 | 60.0 | 42.3 | 44.3 | 38.7 |
| Calva | No | 823.0 | 864.0 | 829.0 | 761.0 | 685.0 | 647.0 | 552.0 |
| San Carlos | No | 74.0 | 106.0 | 149.0 | 174.0 | 212.0 | 265.0 | 368.0 |
| Gila Below Coolidge Dam | No | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| CD-AH Actual Flow Gain | | 159.2 | 229.2 | 299.2 | 369.2 | 439.2 | 509.2 | 579.2 |
| Kelvin | No | 48.0 | 51.0 | 52.0 | 59.0 | 70.0 | 115.0 | 222.0 |
| Winkelman Diversions | | 9.6 | 9.8 | 10.7 | 11.7 | 13.4 | 13.4 | 13.8 |
| AH Spilled & Sluiced | | 40.0 | 45.0 | 45.0 | 60.0 | 50.0 | 200.0 | 220.0 |
| AH Diversions | No | 40.0 | 45.0 | 45.0 | 60.0 | 50.0 | 200.0 | 220.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|------|-------------|-------|
| NF Div. | | 24.2 | 15.8 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 24.2 | 15.8 |
| NF as SW | 0.0 | | |
| Total SW | 0.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 0.0 | 0.0 |
| Total Div. | | 24.2 | 15.8 |