

Call System Version 7.08

3/25/2019	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1924
Upper Safford	1924		1924
Middle Safford	1924		1924
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 138,222 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 4.68 feet below 1881 per data from ASARCO _Water Plane Depth 1876.32 on 3/22/19.
 No Data 3/25/19.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	23.9	23.9	22.5	22.5	0.0
New Model	12.0	16.7	10.6	10.6	0.0
Valley	7.3	7.3	6.6	6.6	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	43.2	47.8	39.7	39.7	0.0

Upper Safford

Brown	11.1	11.1	11.1	11.1	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	33.8	37.6	33.8	33.8	0.0
Montezuma	33.9	36.2	33.9	33.9	0.0
Union Sunflower	61.9	61.9	61.9	61.9	0.0
Graham	42.0	42.0	42.0	42.0	0.0
Smithville	23.3	23.3	21.6	21.6	0.0
Dodge-Nevada	23.0	23.0	23.0	23.0	0.0
TOTAL	228.9	237.2	227.3	227.2	0.0

Middle Safford

Curtis	20.0	20.0	20.0	20.0	0.0
Fort Thomas	16.1	16.1	13.9	13.9	0.0
TOTAL	36.0	36.0	33.9	33.9	0.0

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.9	0.0	0.0	0.0
TOTAL	0.0	0.9	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	14.0	N/A	14.0
Kearny	0.4	1.3	0.4	0.4	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	0.4	3.2	14.4	0.4	14.0

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	145.0	170.1	145.0
Pima Agency	55.0	229.8	55.0
TOTAL	200.0	399.9	200.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	1

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	23.9	23.9	23.9	23.9	Yes	No
New Model	12.0	12.0	12.0	12.0	Yes	No
Valley	7.3	7.3	7.3	7.3	Yes	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	43.2	43.2	43.2	43.2		

Brown	11.1	11.1	11.1	11.1	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	33.8	33.8	33.8	33.8	No	No
Montezuma	33.9	33.9	33.9	33.9	No	No
Union Sunflower	61.9	61.9	61.9	61.9	No	No
Graham	42.0	42.0	42.0	42.0	No	No
Smithville	23.3	23.3	23.3	23.3	Yes	No
Dodge-Nevada	23.0	23.0	23.0	23.0	No	No
TOTAL	229.0	229.0	229.0	229.0		

Curtis	20.0	20.0	20.0	20.0	No	No
Fort Thomas	16.1	16.1	16.1	16.1	Yes	No
TOTAL	36.1	36.1	36.1	36.1		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.4	0.4	0.4	0.4	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.4	14.4	14.4	14.4		

SCIIP

SCIDD	145.0	170.1	145.0
Pima Agency	55.0	229.8	55.0
TOTAL	200.0	399.9	200.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	1

SCIDD Call	145.0	145.0	145.0	145.0	No
SCIDD Order	145.0	145.0	145.0	145.0	No
Pima Agency Call	55.0	55.0	55.0	55.0	No
P.A. Order	55.0	55.0	55.0	55.0	No
TOTAL ORDER	200.0	200.0	200.0	200.0	

Available River Flow	
Duncan	1,855.3
Safford	1,957.8

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	3/24/19	A-H Data	3/25/19
Inflow to CD	2,007.0	AH Diversions	200.0
Coolidge Release	220.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	200.0
NFR from CD	220.0	NF not Rel. @ AH	1,787.0
NF not Released	1,787.0	Total NF @ AH	2,037.0

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	No		
Reservoir Data	3/24/19	Inflow (-)	Available
SC Res Elevation	2,443.54	Outflow	for Release
SC Res Storage	138,223	(AF)	to SCIIP
SC Res AF	2,485	3,160	138,222

Water Quality Data 3/24/19

Water Quality at San Jose	380
Water Quality at Smithville	680.0
WQ at Fort Thomas	440
Water Quality at Geronimo	186
River Flow at Geronimo	1,800.0
Seasonal Average Salinity	289
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 3/25/19	Yesterday 3/24/19	Day -1 3/23/19	Day -2 3/22/19	Day -3 3/21/19	Day -4 3/20/19	Day -5 3/19/19
Gila at Blue Creek	No	789.0	861.0	851.0	1,110.0	1,190.0	1,210.0	1,720.0
San Francisco at Clifton	No	747.0	819.0	904.0	1,010.0	1,100.0	1,190.0	1,390.0
Duncan-Virden Diversions		39.7	41.5	42.1	41.3	42.5	38.2	27.3
D-V Gain		-218.5	-218.7	-288.7	-357.5	-359.9	-429.9	-359.9
Head of Safford	No	1,420.0	1,600.0	1,790.0	1,890.0	2,040.0	2,190.0	2,310.0
Safford Diversions		261.2	252.9	258.2	257.2	241.5	242.0	235.0
Safford Gain		432.9	495.4	565.4	495.4	425.4	355.4	285.4
Calva	No	1,780.0	1,970.0	2,200.0	2,520.0	2,760.0	2,810.0	3,020.0
San Carlos	No	33.0	37.0	46.0	60.0	74.0	93.0	123.0
Gila Below Coolidge Dam	No	220.0	220.0	217.0	3.0	3.0	3.0	3.0
CD-AH Actual Flow Gain		71.9	141.9	71.9	62.3	72.0	79.2	89.6
Kelvin	No	230.0	222.0	33.0	34.0	36.0	39.0	41.0
Winkelman Diversions		14.4	14.4	14.9	15.3	15.0	12.2	12.6
AH Spilled & Sluiced		50.0	200.0	30.0	25.0	30.0	35.0	40.0
AH Diversions	No	200.0	200.0	30.0	25.0	30.0	35.0	40.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		55.0	145.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		55.0	145.0
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		55.0	145.0