

# Call System Version 7.08

5/19/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1845		1882
Upper Safford	1845		1845
Middle Safford	1845		1885
Lower Safford	1845		1845
Winkelman	1845		1884
Ashurst-Hayden	1845		1845

**NOTES**

- 1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
- 2) Stored Water Available for release 21,717 Ac-ft.

\*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 0.48 feet above 1881 per data from ASARCO \_Water Plane Depth 1881.48 on 5/18/18. No data sent 5/19/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	10.1	0.0	9.9	0.0	9.9
New Model Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>10.1</b>	<b>0.0</b>	<b>9.9</b>	<b>0.0</b>	<b>9.9</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	20.0	20.0	20.0	20.0	No	No
New Model Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>20.0</b>	<b>20.0</b>	<b>20.0</b>	<b>20.0</b>		

## Upper Safford

Brown	0.0	0.0	0.0	0.0	0.0
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	0.0	0.0	0.0	0.0	0.0
Montezuma	0.0	0.0	0.0	0.0	0.0
Union Sunflower	0.0	0.0	0.0	0.0	0.0
Graham	0.0	0.0	0.0	0.0	0.0
Smithville	0.0	0.0	0.0	0.0	0.0
Dodge-Nevada	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Middle Safford

Curtis	12.6	0.0	12.3	0.0	12.3
Fort Thomas	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>12.6</b>	<b>0.0</b>	<b>12.3</b>	<b>0.0</b>	<b>12.3</b>

Curtis	16.3	16.3	16.3	16.3	No	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>16.3</b>	<b>16.3</b>	<b>16.3</b>	<b>16.3</b>		

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Winkelman

ASARCO	N/A	N/A	12.0	N/A	12.0
Kearny	1.0	0.0	1.0	0.0	1.0
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>1.0</b>	<b>0.0</b>	<b>13.0</b>	<b>0.0</b>	<b>13.0</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	1.0	1.0	1.0	1.0	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>15.0</b>	<b>15.0</b>	<b>15.0</b>	<b>15.0</b>		

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	155.0
Pima Agency	135.0	235.5	135.0
<b>TOTAL</b>	<b>135.0</b>	<b>235.5</b>	<b>290.0</b>

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	5

SCIDD Call	155.0	155.0	155.0	155.0	No
SCIDD Order	155.0	155.0	155.0	155.0	No
Pima Agency Call	135.0	135.0	135.0	135.0	No
P.A. Order	135.0	135.0	135.0	135.0	No
<b>TOTAL ORDER</b>	<b>290.0</b>	<b>290.0</b>	<b>290.0</b>	<b>290.0</b>	

Available River Flow	
Duncan	0.0
Safford	0.0

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	Yes

Coolidge Data	5/18/18	A-H Data	5/19/18
Inflow to CD	10.0	AH Diversions	290.0
Coolidge Release	360.0	SW @ AH	290.0
SWR from CD	350.0	NF @ AH	0.0
NFR from CD	10.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	0.0

Retaining Water for Mechanical Reasons?		No
SCIIP releasing retained water?		No
Reservoir Data		5/18/18
SC Res Elevation	2,413.90	Inflow (-)
SC Res Storage	21,723	Outflow (AF)
SC Res AF	-729	Available for Release to SCIIP
		21,718

Water Quality Data		5/18/18
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		0
Water Quality at Geronimo		5.110
River Flow at Geronimo		13.0
Seasonal Average Salinity		4.423
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 5/19/18	Yesterday 5/18/18	Day -1 5/17/18	Day -2 5/16/18	Day -3 5/15/18	Day -4 5/14/18	Day -5 5/13/18
Gila at Blue Creek	No	18.0	15.0	18.0	21.0	22.0	24.0	25.0
San Francisco at Clifton	No	20.0	20.0	16.0	16.0	18.0	15.0	17.0
Duncan-Virden Diversions		9.9	8.6	10.5	13.4	13.7	15.2	12.3
D-V Gain		15.6	18.5	18.4	17.7	19.2	13.3	15.3
Head of Safford	No	42.0	42.0	42.0	44.0	43.0	43.0	43.0
Safford Diversions		12.3	12.9	12.9	12.9	14.5	13.8	13.8
Safford Gain		-19.1	-19.1	-19.1	-16.5	-17.2	-17.2	-18.8
Calva	No	10.0	10.0	12.0	12.0	12.0	12.0	13.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	357.0	360.0	357.0	360.0	306.0	306.0	306.0
CD-AH Actual Flow Gain		-57.1	-54.4	-61.3	-52.4	-43.5	-54.1	-45.1
Kelvin	No	318.0	318.0	318.0	310.0	266.0	269.0	263.0
Winkelman Diversions		13.0	12.7	10.8	10.7	17.6	11.0	13.0
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	290.0	290.0	288.0	243.0	245.0	241.0	220.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		0.0	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		0.0	0.0
NF as SW	0.0		
Total SW	290.0		
SW Div.		135.0	155.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		135.0	155.0
Total Div.		135.0	155.0