

Call System Version 7.08

| 5/26/2018 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1845 | | 1874 |
| Upper Safford | 1845 | | 1887 |
| Middle Safford | 1845 | | 1884 |
| Lower Safford | 1845 | | 1845 |
| Winkelman | 1845 | | 1884 |
| Ashurst-Hayden | 1845 | | 1845 |

NOTES
 1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 16,821 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 0.98 feet above 1881 per data from ASARCO _Water Plane Depth 1881.98 on 5/24/18.
 No data 5/26/18

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|------------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 4.9 | 0.0 | 2.8 | 0.0 | 2.8 |
| New Model Valley | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 4.9 | 0.0 | 2.8 | 0.0 | 2.8 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|------------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 20.0 | 20.0 | 20.0 | 20.0 | Yes | No |
| New Model Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 20.0 | 20.0 | 20.0 | 20.0 | | |

Upper Safford

| | | | | | |
|-----------------|------------|------------|------------|------------|------------|
| Brown | 5.0 | 0.0 | 4.7 | 0.0 | 4.7 |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Graham | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 5.0 | 0.0 | 4.7 | 0.0 | 4.7 |

| | | | | | | |
|-----------------|------------|------------|-------------|-------------|-----|----|
| Brown | 5.0 | 5.0 | 5.0 | 5.0 | Yes | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Graham | 0.0 | 0.0 | 20.0 | 20.0 | No | No |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 5.0 | 5.0 | 25.0 | 25.0 | | |

Middle Safford

| | | | | | |
|--------------|-------------|------------|------------|------------|------------|
| Curtis | 10.5 | 0.0 | 7.8 | 0.0 | 7.8 |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 10.5 | 0.0 | 7.8 | 0.0 | 7.8 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| Curtis | 16.3 | 16.3 | 16.3 | 16.3 | Yes | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 16.3 | 16.3 | 16.3 | 16.3 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|-------------|------------|-------------|
| ASARCO | N/A | N/A | 16.0 | N/A | 16.0 |
| Kearny | 1.0 | 0.0 | 1.0 | 0.0 | 1.0 |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 1.0 | 0.0 | 17.0 | 0.0 | 17.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 1.0 | 1.0 | 1.0 | 1.0 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 15.0 | 15.0 | 15.0 | 15.0 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|--------------|--------------|--------------|
| SCIDD | 0.0 | 0.0 | 163.0 |
| Pima Agency | 135.0 | 235.5 | 142.0 |
| TOTAL | 135.0 | 235.5 | 305.0 |

| San Carlos Min. Pool | |
|----------------------|-----|
| CAP Exchange | 0.0 |
| Minimum Pool | 5 |

| | | | | | |
|--------------------|--------------|--------------|--------------|--------------|-----|
| SCIDD Call | 155.0 | 175.0 | 175.0 | 175.0 | Yes |
| SCIDD Order | 155.0 | 175.0 | 175.0 | 175.0 | Yes |
| Pima Agency Call | 135.0 | 135.0 | 135.0 | 135.0 | Yes |
| P.A. Order | 135.0 | 135.0 | 135.0 | 135.0 | Yes |
| TOTAL ORDER | 290.0 | 310.0 | 310.0 | 310.0 | |

| Available River Flow | |
|----------------------|-----|
| Duncan | 0.0 |
| Safford | 0.0 |

| | |
|--------------------------|-----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | Yes |

| Coolidge Data | 5/25/18 | A-H Data | 5/26/18 |
|------------------|---------|------------------|---------|
| Inflow to CD | 7.0 | AH Diversions | 305.0 |
| Coolidge Release | 380.0 | SW @ AH | 305.0 |
| SWR from CD | 373.0 | NF @ AH | 0.0 |
| NFR from CD | 7.0 | NF not Rel. @ AH | 0.0 |
| NF not Released | 0.0 | Total NF @ AH | 0.0 |

| Retaining Water for Mechanical Reasons? | | | No | |
|---|----------|---------|------------|-------------|
| SCIIP releasing retained water? | | | No | |
| Reservoir Data | | 5/25/18 | Inflow (-) | Available |
| SC Res Elevation | 2,411.49 | | Outflow | for Release |
| SC Res Storage | 16,826 | | (AF) | to SCIIP |
| SC Res AF | -722 | | -740 | 16,821 |

| Water Quality Data | | 5/25/18 |
|-----------------------------|--|---------|
| Water Quality at San Jose | | 0 |
| Water Quality at Smithville | | 0.0 |
| WQ at Fort Thomas | | 0 |
| Water Quality at Geronimo | | 5.077 |
| River Flow at Geronimo | | 9.0 |
| Seasonal Average Salinity | | 4.472 |
| WQ at Anderson Flat | | 0 |

| River Data | Estimated Gage Today | Today 5/26/18 | Yesterday 5/25/18 | Day -1 5/24/18 | Day -2 5/23/18 | Day -3 5/22/18 | Day -4 5/21/18 | Day -5 5/20/18 |
|--------------------------|----------------------|---------------|-------------------|----------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 12.0 | 12.0 | 13.0 | 13.0 | 14.0 | 15.0 | 17.0 |
| San Francisco at Clifton | No | 13.0 | 13.0 | 13.0 | 15.0 | 18.0 | 18.0 | 21.0 |
| Duncan-Virden Diversions | | 2.8 | 4.3 | 5.5 | 6.5 | 7.6 | 7.6 | 10.2 |
| D-V Gain | | 12.3 | 13.5 | 17.5 | 15.5 | 15.6 | 15.2 | 14.9 |
| Head of Safford | No | 33.0 | 34.0 | 39.0 | 41.0 | 41.0 | 43.0 | 43.0 |
| Safford Diversions | | 12.5 | 14.2 | 14.7 | 16.8 | 11.8 | 12.3 | 12.3 |
| Safford Gain | | -12.8 | -17.3 | -15.2 | -20.2 | -20.7 | -20.7 | -19.7 |
| Calva | No | 7.0 | 7.0 | 9.0 | 9.0 | 10.0 | 10.0 | 10.0 |
| San Carlos | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Gila Below Coolidge Dam | No | 380.0 | 380.0 | 380.0 | 354.0 | 354.0 | 357.0 | 357.0 |
| CD-AH Actual Flow Gain | | -58.1 | -57.1 | -45.1 | -44.5 | -48.8 | -49.5 | -54.1 |
| Kelvin | No | 339.0 | 336.0 | 333.0 | 313.0 | 318.0 | 316.0 | 321.0 |
| Winkelman Diversions | | 17.0 | 18.0 | 19.0 | 19.6 | 18.3 | 17.6 | 13.0 |
| AH Spilled & Sluiced | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| AH Diversions | No | 305.0 | 305.0 | 290.0 | 290.0 | 290.0 | 290.0 | 290.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|-------|-------------|-------|
| NF Div. | | 0.0 | 0.0 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 0.0 | 0.0 |
| NF as SW | 0.0 | | |
| Total SW | 305.0 | | |
| SW Div. | | 135.0 | 155.0 |
| Excess SW | 15.0 | | |
| Excess SW Div. | | 7.0 | 8.0 |
| Total SW Div. | | 142.0 | 163.0 |
| Total Div. | | 142.0 | 163.0 |