

# Call System Version 7.08

5/27/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1845		1874
Upper Safford	1845		1887
Middle Safford	1845		1884
Lower Safford	1845		1845
Winkelman	1845		1884
Ashurst-Hayden	1845		1845

**NOTES**

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 16,172 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 0.98 feet above 1881 per data from ASARCO\_Water Plane Depth 1881.98 on 5/24/18.  
 No data 5/27/18

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	4.9	0.0	2.2	0.0	2.2
New Model Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>4.9</b>	<b>0.0</b>	<b>2.2</b>	<b>0.0</b>	<b>2.2</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	20.0	20.0	20.0	20.0	Yes	No
New Model Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>20.0</b>	<b>20.0</b>	<b>20.0</b>	<b>20.0</b>		

**Upper Safford**

Brown	5.0	0.0	4.8	0.0	4.8
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	0.0	0.0	0.0	0.0	0.0
Montezuma	0.0	0.0	0.0	0.0	0.0
Union Sunflower	0.0	0.0	0.0	0.0	0.0
Graham	0.0	0.0	0.0	0.0	0.0
Smithville	0.0	0.0	0.0	0.0	0.0
Dodge-Nevada	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>5.0</b>	<b>0.0</b>	<b>4.8</b>	<b>0.0</b>	<b>4.8</b>

Brown	5.0	5.0	5.0	5.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	20.0	20.0	20.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>5.0</b>	<b>25.0</b>	<b>25.0</b>	<b>25.0</b>		

**Middle Safford**

Curtis	10.5	0.0	7.5	0.0	7.5
Fort Thomas	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>10.5</b>	<b>0.0</b>	<b>7.5</b>	<b>0.0</b>	<b>7.5</b>

Curtis	16.3	16.3	16.3	16.3	Yes	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>16.3</b>	<b>16.3</b>	<b>16.3</b>	<b>16.3</b>		

**Lower Safford**

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

**Winkelman**

ASARCO	N/A	N/A	17.0	N/A	17.0
Kearny	1.0	0.0	1.0	0.0	1.0
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>1.0</b>	<b>0.0</b>	<b>18.0</b>	<b>0.0</b>	<b>18.0</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	1.0	1.0	1.0	1.0	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>15.0</b>	<b>15.0</b>	<b>15.0</b>	<b>15.0</b>		

**SCIIP** The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	172.2
Pima Agency	135.0	235.5	132.8
<b>TOTAL</b>	<b>135.0</b>	<b>235.5</b>	<b>305.0</b>

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	5

SCIDD Call	175.0	175.0	175.0	175.0	No
SCIDD Order	175.0	175.0	175.0	175.0	No
Pima Agency Call	135.0	135.0	135.0	135.0	No
P.A. Order	135.0	135.0	135.0	135.0	No
<b>TOTAL ORDER</b>	<b>310.0</b>	<b>310.0</b>	<b>310.0</b>	<b>310.0</b>	

Available River Flow	
Duncan	0.0
Safford	0.0

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	Yes

Coolidge Data	5/26/18	A-H Data	5/27/18
Inflow to CD	7.0	AH Diversions	305.0
Coolidge Release	380.0	SW @ AH	305.0
SWR from CD	373.0	NF @ AH	0.0
NFR from CD	7.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	0.0

Retaining Water for Mechanical Reasons?		No	
SCIIP releasing retained water?		No	
Reservoir Data		5/26/18	
SC Res Elevation	2,411.14	Inflow (-)	Available
SC Res Storage	16,177	Outflow (AF)	for Release to SCIIP
SC Res AF	-649		16,172

Water Quality Data		5/26/18
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		0
Water Quality at Geronimo		4.840
River Flow at Geronimo		8.0
Seasonal Average Salinity		4.476
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 5/27/18	Yesterday 5/26/18	Day -1 5/25/18	Day -2 5/24/18	Day -3 5/23/18	Day -4 5/22/18	Day -5 5/21/18
Gila at Blue Creek	No	10.0	12.0	12.0	13.0	13.0	14.0	15.0
San Francisco at Clifton	No	14.0	13.0	13.0	13.0	15.0	18.0	18.0
Duncan-Virden Diversions		2.2	2.8	4.3	5.5	6.5	6.5	7.6
D-V Gain		11.8	12.3	13.5	17.5	15.5	15.6	15.2
Head of Safford	No	34.0	33.0	34.0	39.0	41.0	41.0	43.0
Safford Diversions		12.3	12.5	14.2	14.7	16.8	11.8	12.3
Safford Gain		-14.5	-12.8	-17.3	-15.2	-20.2	-20.7	-20.7
Calva	No	6.0	7.0	7.0	9.0	9.0	10.0	10.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	377.0	380.0	380.0	380.0	354.0	354.0	357.0
CD-AH Actual Flow Gain		-57.1	-58.1	-57.1	-45.1	-44.5	-48.8	-49.5
Kelvin	No	333.0	339.0	336.0	333.0	313.0	318.0	316.0
Winkelman Diversions		18.0	17.0	18.0	19.0	19.6	18.3	17.6
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	305.0	305.0	305.0	290.0	290.0	290.0	290.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		0.0	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		0.0	0.0
NF as SW	0.0		
Total SW	305.0		
SW Div.		132.8	172.2
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		132.8	172.2
Total Div.		132.8	172.2