

Call System Version 7.08

| 5/30/2018 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1845 | | 1845 |
| Upper Safford | 1845 | | 1879 |
| Middle Safford | 1845 | | 1884 |
| Lower Safford | 1845 | | 1845 |
| Winkelman | 1845 | | 1884 |
| Ashurst-Hayden | 1845 | | 1845 |

NOTES

- 1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
- 2) Stored Water Available for release 14,067 Ac-ft.

****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 1.15 feet above 1881 per data from ASARCO_Water Plane Depth 1882.15 on 5/30/18.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|------------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| New Model Valley | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|------------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| New Model Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Upper Safford

| | | | | | |
|-----------------|-------------|------------|-------------|------------|-------------|
| Brown | 1.9 | 0.0 | 1.9 | 0.0 | 1.9 |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 10.8 | 0.0 | 10.8 | 0.0 | 10.8 |
| Montezuma | 12.5 | 0.0 | 12.1 | 0.0 | 12.1 |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Graham | 0.9 | 0.0 | 0.9 | 0.0 | 0.9 |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 26.1 | 0.0 | 25.7 | 0.0 | 25.7 |

| | | | | | | |
|-----------------|--------------|--------------|--------------|--------------|----|----|
| Brown | 5.0 | 5.0 | 5.0 | 5.0 | No | No |
| Fourness | 2.0 | 2.0 | 2.0 | 2.0 | No | No |
| San Jose | 40.6 | 40.6 | 40.6 | 40.6 | No | No |
| Montezuma | 40.4 | 40.4 | 40.4 | 40.4 | No | No |
| Union Sunflower | 0.0 | 15.0 | 15.0 | 15.0 | No | No |
| Graham | 20.0 | 20.0 | 20.0 | 20.0 | No | No |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 108.0 | 123.0 | 123.0 | 123.0 | | |

Middle Safford

| | | | | | |
|--------------|-------------|------------|------------|------------|------------|
| Curtis | 10.5 | 0.0 | 5.2 | 0.0 | 5.2 |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 10.5 | 0.0 | 5.2 | 0.0 | 5.2 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| Curtis | 16.3 | 16.3 | 16.3 | 16.3 | Yes | No |
| Fort Thomas | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 16.3 | 16.3 | 16.3 | 16.3 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|-------------|------------|-------------|
| ASARCO | N/A | N/A | 16.2 | N/A | 16.2 |
| Kearny | 1.0 | 0.0 | 1.0 | 0.0 | 1.0 |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 1.0 | 0.0 | 17.2 | 0.0 | 17.2 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 1.0 | 1.0 | 1.1 | 1.1 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 15.0 | 15.0 | 15.1 | 15.1 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|--------------|--------------|--------------|
| SCIDD | 0.0 | 0.0 | 173.9 |
| Pima Agency | 135.0 | 235.5 | 134.1 |
| TOTAL | 135.0 | 235.5 | 308.0 |

| | |
|-----------------------------|-----|
| San Carlos Min. Pool | |
| CAP Exchange | 0.0 |
| Minimum Pool | 5 |

| | | | | | |
|--------------------|--------------|--------------|--------------|--------------|----|
| SCIDD Call | 175.0 | 175.0 | 155.0 | 155.0 | No |
| SCIDD Order | 175.0 | 175.0 | 155.0 | 155.0 | No |
| Pima Agency Call | 135.0 | 135.0 | 135.0 | 135.0 | No |
| P.A. Order | 135.0 | 135.0 | 135.0 | 135.0 | No |
| TOTAL ORDER | 310.0 | 310.0 | 290.0 | 290.0 | |

| Available River Flow | |
|----------------------|-----|
| Duncan | 0.0 |
| Safford | 0.0 |

| | |
|--------------------------|-----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | Yes |

| Coolidge Data | 5/29/18 | A-H Data | 5/30/18 |
|------------------|---------|------------------|---------|
| Inflow to CD | 7.0 | AH Diversions | 308.0 |
| Coolidge Release | 374.0 | SW @ AH | 308.0 |
| SWR from CD | 367.0 | NF @ AH | 0.0 |
| NFR from CD | 7.0 | NF not Rel. @ AH | 0.0 |
| NF not Released | 0.0 | Total NF @ AH | 0.0 |

| Retaining Water for Mechanical Reasons? | | No |
|---|----------|--------------------------------|
| SCIIP releasing retained water? | | No |
| Reservoir Data | | 5/29/18 |
| SC Res Elevation | 2,409.94 | Inflow (-) |
| SC Res Storage | 14.072 | Outflow (AF) |
| SC Res AF | -716 | Available for Release to SCIIP |

| Water Quality Data | | 5/29/18 |
|-----------------------------|--|---------|
| Water Quality at San Jose | | 1,560 |
| Water Quality at Smithville | | 0.0 |
| WQ at Fort Thomas | | 0 |
| Water Quality at Geronimo | | 4,725 |
| River Flow at Geronimo | | 8.0 |
| Seasonal Average Salinity | | 4,494 |
| WQ at Anderson Flat | | 0 |

| River Data | Estimated Gage Today | Today 5/30/18 | Yesterday 5/29/18 | Day -1 5/28/18 | Day -2 5/27/18 | Day -3 5/26/18 | Day -4 5/25/18 | Day -5 5/24/18 |
|--------------------------|----------------------|---------------|-------------------|----------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 8.0 | 8.0 | 9.0 | 10.0 | 12.0 | 12.0 | 13.0 |
| San Francisco at Clifton | No | 17.0 | 17.0 | 17.0 | 14.0 | 13.0 | 13.0 | 13.0 |
| Duncan-Virden Diversions | | 0.0 | 1.0 | 1.7 | 2.2 | 2.8 | 4.3 | 5.5 |
| D-V Gain | | 9.0 | 9.7 | 11.2 | 11.8 | 12.3 | 13.5 | 17.5 |
| Head of Safford | No | 33.0 | 34.0 | 33.0 | 34.0 | 33.0 | 34.0 | 39.0 |
| Safford Diversions | | 30.9 | 27.6 | 31.3 | 12.3 | 12.5 | 14.2 | 14.7 |
| Safford Gain | | 0.5 | 5.3 | -15.7 | -14.5 | -12.8 | -17.3 | -15.2 |
| Calva | No | 7.0 | 7.0 | 6.0 | 6.0 | 7.0 | 7.0 | 9.0 |
| San Carlos | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Gila Below Coolidge Dam | No | 360.0 | 374.0 | 377.0 | 377.0 | 380.0 | 380.0 | 380.0 |
| CD-AH Actual Flow Gain | | -48.9 | -50.5 | -51.6 | -57.1 | -58.1 | -57.1 | -45.1 |
| Kelvin | No | 321.0 | 336.0 | 339.0 | 333.0 | 339.0 | 336.0 | 333.0 |
| Winkelman Diversions | | 17.2 | 15.6 | 17.5 | 18.0 | 17.0 | 18.0 | 19.0 |
| AH Spilled & Sluiced | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| AH Diversions | No | 308.0 | 311.0 | 308.0 | 305.0 | 305.0 | 305.0 | 290.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|-------|-------------|-------|
| NF Div. | | 0.0 | 0.0 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 0.0 | 0.0 |
| NF as SW | 0.0 | | |
| Total SW | 308.0 | | |
| SW Div. | | 134.1 | 173.9 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 134.1 | 173.9 |
| Total Div. | | 134.1 | 173.9 |