

# Call System Version 7.08

6/9/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1845		1845
Upper Safford	1845		1878
Middle Safford	1845		1884
Lower Safford	1845		1845
Winkelman	1845		1884
Ashurst-Hayden	1845		1845

**NOTES**

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 7,610 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 0.23 feet above 1881 per data from ASARCO\_Water Plane Depth 1881.23 on 6/8/18. No data sent on 6/9/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	0.0	0.0	0.0	0.0
New Model Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

**Upper Safford**

Brown	1.6	0.0	1.4	0.0	1.4
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	8.8	0.0	8.8	0.0	8.8
Montezuma	10.0	0.0	7.0	0.0	7.0
Union Sunflower	8.2	0.0	7.7	0.0	7.7
Graham	0.7	0.0	0.0	0.0	0.0
Smithville	0.0	0.0	0.0	0.0	0.0
Dodge-Nevada	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>29.4</b>	<b>0.0</b>	<b>24.9</b>	<b>0.0</b>	<b>24.9</b>

Brown	5.0	5.0	5.0	5.0	Yes	No
Fourness	2.0	2.0	2.0	2.0	No	No
San Jose	40.6	40.6	40.6	40.6	No	No
Montezuma	40.4	40.4	40.4	40.4	Yes	No
Union Sunflower	15.0	15.0	15.0	15.0	Yes	No
Graham	20.0	20.0	20.0	20.0	Yes	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>123.0</b>	<b>123.0</b>	<b>123.0</b>	<b>123.0</b>		

**Middle Safford**

Curtis	10.5	0.0	8.6	0.0	8.6
Fort Thomas	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>10.5</b>	<b>0.0</b>	<b>8.6</b>	<b>0.0</b>	<b>8.6</b>

Curtis	16.3	16.3	16.3	16.3	Yes	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>16.3</b>	<b>16.3</b>	<b>16.3</b>	<b>16.3</b>		

**Lower Safford**

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

**Winkelman**

ASARCO	N/A	N/A	10.4	N/A	10.4
Kearny	1.1	0.0	1.1	0.0	1.1
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>1.1</b>	<b>0.0</b>	<b>11.5</b>	<b>0.0</b>	<b>11.5</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	1.1	1.1	1.1	1.1	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>15.1</b>	<b>15.1</b>	<b>15.1</b>	<b>15.1</b>		

**SCIIP** The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	167.3
Pima Agency	135.0	235.5	145.7
<b>TOTAL</b>	<b>135.0</b>	<b>235.5</b>	<b>313.0</b>

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	4

SCIDD Call	155.0	180.0	180.0	210.0	Yes
SCIDD Order	155.0	180.0	180.0	210.0	Yes
Pima Agency Call	135.0	135.0	135.0	135.0	Yes
P.A. Order	135.0	135.0	135.0	135.0	Yes
<b>TOTAL ORDER</b>	<b>290.0</b>	<b>315.0</b>	<b>315.0</b>	<b>345.0</b>	

Available River Flow	
Duncan	0.0
Safford	0.0

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	Yes

Coolidge Data	6/8/18	A-H Data	6/9/18
Inflow to CD	4.0	AH Diversions	313.0
Coolidge Release	382.0	SW @ AH	313.0
SWR from CD	378.0	NF @ AH	0.0
NFR from CD	4.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	0.0

Retaining Water for Mechanical Reasons?		No
SCIIP releasing retained water?		No
Reservoir Data		6/8/18
SC Res Elevation	2,405.59	Inflow (-)
SC Res Storage	7,615	Outflow (AF)
SC Res AF	-804	Available for Release to SCIIP
		7,611

Water Quality Data		6/8/18
Water Quality at San Jose		1,510
Water Quality at Smithville		0.0
WQ at Fort Thomas		0
Water Quality at Geronimo		4,648
River Flow at Geronimo		5.0
Seasonal Average Salinity		4,521
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 6/9/18	Yesterday 6/8/18	Day -1 6/7/18	Day -2 6/6/18	Day -3 6/5/18	Day -4 6/4/18	Day -5 6/3/18
Gila at Blue Creek	No	3.0	4.0	4.0	5.0	5.0	5.0	5.0
San Francisco at Clifton	No	10.0	10.0	10.0	10.0	9.0	10.0	11.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		10.0	11.0	14.0	15.0	14.0	14.0	11.0
Head of Safford	No	24.0	25.0	29.0	29.0	29.0	30.0	30.0
Safford Diversions		33.5	36.1	29.5	28.7	33.9	35.0	31.4
Safford Gain		15.1	4.5	5.7	10.9	10.0	7.4	6.1
Calva	No	4.0	4.0	6.0	6.0	5.0	6.0	5.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	432.0	382.0	382.0	354.0	354.0	357.0	357.0
CD-AH Actual Flow Gain		-57.5	-57.5	-48.7	-49.0	-49.7	-42.9	-44.9
Kelvin	No	347.0	333.0	327.0	304.0	304.0	307.0	310.0
Winkelman Diversions		11.5	11.5	15.3	15.0	14.3	19.1	17.1
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	313.0	313.0	290.0	290.0	293.0	295.0	295.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		0.0	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		0.0	0.0
NF as SW	0.0		
Total SW	313.0		
SW Div.		135.0	155.0
Excess SW	23.0		
Excess SW Div.		10.7	12.3
Total SW Div.		145.7	167.3
Total Div.		145.7	167.3