

Call System Version 7.08

7/6/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1881		1845
Upper Safford	1880		1876
Middle Safford	1880		1884
Lower Safford	1880		1845
Winkelman	1879		1884
Ashurst-Hayden	1879		1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 241 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 3.35 feet below 1881 per data from ASARCO _Water Plane Depth 1877.65 on 7/6/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	9.5	0.0	0.0	0.0
New Model Valley	0.0	0.0	0.0	0.0	0.0
Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	9.5	0.0	0.0	0.0

Upper Safford

Brown	0.8	2.2	0.7	0.7	0.0
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	5.9	11.7	5.9	5.9	0.0
Montezuma	5.4	13.3	5.0	5.0	0.0
Union Sunflower	4.4	9.9	4.5	4.5	0.0
Graham	0.5	1.4	0.0	0.0	0.0
Smithville	0.0	3.4	0.0	0.0	0.0
Dodge-Nevada	0.0	1.5	0.0	0.0	0.0
TOTAL	16.9	43.5	16.1	16.1	0.0

Middle Safford

Curtis	10.5	0.0	10.5	0.0	10.5
Fort Thomas	1.8	0.4	0.0	0.0	0.0
TOTAL	12.3	0.4	10.5	0.0	10.5

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	3.4	0.0	0.0	0.0
TOTAL	0.0	3.4	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	16.6	N/A	16.6
Kearny	1.0	1.3	1.0	1.0	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	1.0	3.2	17.6	1.0	16.6

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	218.2	6.0
Pima Agency	0.0	235.5	6.0
TOTAL	0.0	453.7	12.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	3

Available River Flow

Duncan	52.7
Safford	51.7

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No

Reservoir Data 7/5/18		Inflow (-)	Available for Release to SCIIP
SC Res Elevation	2,395.24		
SC Res Storage	244	(AF)	
SC Res AF	8	-8	241

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	Yes

Coolidge Data	7/5/18	A-H Data	7/6/18
Inflow to CD	1.0	AH Diversions	12.0
Coolidge Release	5.0	SW @ AH	3.5
SWR from CD	4.0	NF @ AH	8.5
NFR from CD	1.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	8.5

Water Quality Data 7/5/18	
Water Quality at San Jose	1,390
Water Quality at Smithville	0.0
WQ at Fort Thomas	0
Water Quality at Geronimo	5,116
River Flow at Geronimo	1.0
Seasonal Average Salinity	4,551
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 7/6/18	Yesterday 7/5/18	Day -1 7/4/18	Day -2 7/3/18	Day -3 7/2/18	Day -4 7/1/18	Day -5 6/30/18
Gila at Blue Creek	No	2.0	2.0	2.0	2.0	2.0	2.0	2.0
San Francisco at Clifton	No	7.0	6.0	5.0	3.0	5.0	4.0	4.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		13.0	14.0	16.0	15.0	16.0	17.0	16.0
Head of Safford	No	21.0	21.0	21.0	22.0	22.0	23.0	23.0
Safford Diversions		26.6	26.1	26.8	23.5	23.6	23.6	26.6
Safford Gain		6.1	6.8	2.5	1.8	0.8	50.6	2.4
Calva	No	1.0	1.0	1.0	0.3	0.2	47.0	0.3
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	5.0	5.0	5.0	5.0	6.0	6.1	6.0
CD-AH Actual Flow Gain		24.6	23.0	22.0	21.8	22.9	25.5	24.1
Kelvin	No	1.0	1.0	2.0	3.0	4.0	4.0	6.0
Winkelman Diversions		17.6	16.0	15.0	15.8	17.0	18.5	17.1
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	12.0	12.0	12.0	12.0	12.0	13.0	14.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		5.1	3.3
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		5.1	3.3
NF as SW	0.0		
Total SW	3.5		
SW Div.		0.0	0.0
Excess SW	3.5		
Excess SW Div.		0.9	2.7
Total SW Div.		0.9	2.7
Total Div.		6.0	6.0