

Call System Version 7.08

7/9/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1880		1845
Upper Safford	1880		1877
Middle Safford	1880		1884
Lower Safford	1880		1845
Winkelman	1881		1884
Ashurst-Hayden	1881		1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 243 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 3.77 feet below 1881 per data from ASARCO _Water Plane Depth 1877.23 on 7/9/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	5.0	0.0	0.0	0.0
New Model Valley	0.0	0.0	0.0	0.0	0.0
Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	5.0	0.0	0.0	0.0

Upper Safford

Brown	1.3	2.2	1.3	1.3	0.0
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	7.8	11.7	7.9	7.9	0.0
Montezuma	8.4	13.3	6.3	6.3	0.0
Union Sunflower	5.4	9.9	5.5	5.5	0.0
Graham	0.6	1.4	0.0	0.0	0.0
Smithville	0.0	3.4	0.0	0.0	0.0
Dodge-Nevada	0.7	1.5	0.0	0.0	0.0
TOTAL	24.2	43.5	21.0	21.0	0.0

Middle Safford

Curtis	10.5	0.0	10.5	0.0	10.5
Fort Thomas	1.8	0.4	0.0	0.0	0.0
TOTAL	12.3	0.4	10.5	0.0	10.5

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	3.4	0.0	0.0	0.0
TOTAL	0.0	3.4	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	17.4	N/A	17.4
Kearny	1.0	1.3	1.0	1.0	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	1.0	3.2	18.4	1.0	17.4

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	218.2	4.0
Pima Agency	0.0	235.5	4.0
TOTAL	0.0	453.7	8.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	3

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model Valley	0.0	0.0	0.0	0.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Brown	5.0	5.0	5.0	5.0	No	No
Fourness	2.0	2.0	2.0	2.0	No	No
San Jose	40.6	40.6	40.6	40.6	No	No
Montezuma	40.4	40.4	40.4	40.4	Yes	No
Union Sunflower	15.0	15.0	15.0	15.0	No	No
Graham	20.0	20.0	20.0	20.0	Yes	No
Smithville	15.0	15.0	15.0	15.0	No	No
Dodge-Nevada	15.0	15.0	15.0	15.0	Yes	No
TOTAL	153.0	153.0	153.0	153.0		

Curtis	16.3	16.3	16.3	16.3	No	No
Fort Thomas	10.0	10.0	10.0	10.0	Yes	No
TOTAL	26.3	26.3	26.3	26.3		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	1.0	1.0	1.0	1.0	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	15.0	15.0	15.0	15.0		

Available River Flow	
Duncan	51.0
Safford	48.0

Coolidge Data	7/8/18	A-H Data	7/9/18
Inflow to CD	1.0	AH Diversions	8.0
Coolidge Release	5.0	SW @ AH	3.5
SWR from CD	4.0	NF @ AH	4.5
NFR from CD	1.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	4.5

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No
Reservoir Data 7/8/18	
SC Res Elevation	2,395.25
SC Res Storage	246
SC Res AF	3
Inflow (-)	Available for Release to SCIIP
Outflow (AF)	243
	-10

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	Yes

Water Quality Data 7/8/18	
Water Quality at San Jose	1,380
Water Quality at Smithville	0.0
WQ at Fort Thomas	0
Water Quality at Geronimo	1,725
River Flow at Geronimo	1.0
Seasonal Average Salinity	4,511
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 7/9/18	Yesterday 7/8/18	Day -1 7/7/18	Day -2 7/6/18	Day -3 7/5/18	Day -4 7/4/18	Day -5 7/3/18
Gila at Blue Creek	No	2.0	2.0	2.0	2.0	2.0	2.0	2.0
San Francisco at Clifton	No	12.0	9.0	8.0	7.0	6.0	5.0	3.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		11.0	12.0	12.0	13.0	14.0	16.0	15.0
Head of Safford	No	22.0	22.0	21.0	21.0	21.0	21.0	22.0
Safford Diversions		31.5	26.6	26.5	26.6	26.1	26.8	23.5
Safford Gain		4.6	6.5	6.6	6.1	6.8	2.5	1.8
Calva	No	0.0	1.0	1.0	1.0	1.0	1.0	0.3
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	5.0	5.0	5.0	5.0	5.0	5.0	5.0
CD-AH Actual Flow Gain		21.4	20.0	22.0	24.6	23.0	22.0	21.8
Kelvin	No	0.3	1.0	1.0	1.0	1.0	2.0	3.0
Winkelman Diversions		18.4	17.0	17.0	17.6	16.0	15.0	15.8
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	8.0	8.0	10.0	12.0	12.0	12.0	12.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		2.7	1.8
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		2.7	1.8
NF as SW	0.0		
Total SW	3.5		
SW Div.		0.0	0.0
Excess SW	3.5		
Excess SW Div.		1.3	2.2
Total SW Div.		1.3	2.2
Total Div.		4.0	4.0