

Call System Version 7.08

7/22/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1893	1924	1893
Upper Safford	1904b	1924	1893
Middle Safford	1904b	1924	1897
Lower Safford	1904b	1924	1845
Winkelman	1889	1845	1884
Ashurst-Hayden	1889	1845	1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 717 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 2.77 feet below 1881 per data from ASARCO _Water Plane Depth 1878.23 on 7/20/18. no data 7/22/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	13.9	26.9	12.8	12.8	0.0
New Model Valley	4.8	18.2	3.3	3.3	0.0
Valley	3.4	8.2	2.0	2.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	22.1	53.3	18.2	18.2	0.0

Upper Safford

Brown	8.1	10.3	4.5	4.5	0.0
Fourness	2.0	2.0	2.0	2.0	0.0
San Jose	21.9	40.6	21.8	21.8	0.0
Montezuma	19.7	40.5	18.5	18.5	0.0
Union Sunflower	47.9	62.6	47.8	47.8	0.0
Graham	16.1	42.4	16.1	16.1	0.0
Smithville	15.0	24.8	14.0	14.0	0.0
Dodge-Nevada	11.6	25.3	11.6	11.6	0.0
TOTAL	142.3	248.6	136.3	136.3	0.0

Middle Safford

Curtis	16.6	20.0	16.6	16.6	0.0
Fort Thomas	5.9	15.7	6.0	6.0	0.0
TOTAL	22.5	35.7	22.6	22.6	0.0

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	3.4	0.0	0.0	0.0
TOTAL	0.0	3.4	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	16.0	N/A	16.0
Kearny	1.0	0.0	1.0	0.0	1.0
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
TOTAL	1.0	0.0	17.0	0.0	17.0

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	4.7
Pima Agency	0.0	235.5	7.3
TOTAL	0.0	235.5	12.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	2

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	15.0	15.0	15.0	15.0	Yes	No
New Model Valley	10.0	10.0	10.0	10.0	Yes	No
Valley	8.2	8.2	8.2	8.2	Yes	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	33.2	33.2	33.2	33.2		

Brown	10.3	10.3	10.3	10.3	Yes	No
Fourness	2.0	2.0	2.0	2.0	No	No
San Jose	40.6	40.6	40.6	40.6	No	No
Montezuma	40.4	40.4	40.4	40.4	Yes	No
Union Sunflower	62.6	62.6	62.6	62.6	No	No
Graham	20.0	20.0	20.0	20.0	No	No
Smithville	15.0	15.0	15.0	15.0	Yes	No
Dodge-Nevada	15.0	15.0	15.0	15.0	No	No
TOTAL	205.9	205.9	205.9	205.9		

Curtis	20.0	20.0	20.0	20.0	No	No
Fort Thomas	10.0	10.0	10.0	10.0	No	No
TOTAL	30.0	30.0	30.0	30.0		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	1.0	1.0	1.0	1.0	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	15.0	15.0	15.0	15.0		

Available River Flow	
Duncan	185.9
Safford	185.0

Coolidge Data	7/21/18	A-H Data	7/22/18
Inflow to CD	36.0	AH Diversions	12.0
Coolidge Release	4.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	12.0
NFR from CD	4.0	NF not Rel. @ AH	32.0
NF not Released	32.0	Total NF @ AH	44.0

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No
Reservoir Data	7/21/18
SC Res Elevation	2,397.08
SC Res Storage	719
SC Res AF	87

SCIDD Call	0.0	0.0	0.0	0.0	Yes
SCIDD Order	0.0	0.0	0.0	0.0	Yes
Pima Agency Call	0.0	0.0	0.0	0.0	Yes
P.A. Order	0.0	0.0	0.0	0.0	Yes
TOTAL ORDER	0.0	0.0	0.0	0.0	

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

River Data	Estimated Gage Today	Today 7/22/18	Yesterday 7/21/18	Day -1 7/20/18	Day -2 7/19/18	Day -3 7/18/18	Day -4 7/17/18	Day -5 7/16/18
Gila at Blue Creek	No	7.0	13.0	11.0	11.0	15.0	10.0	7.0
San Francisco at Clifton	No	38.0	50.0	55.0	74.0	128.0	194.0	70.0
Duncan-Virden Diversions		18.2	18.9	19.2	19.9	18.8	16.0	16.5
D-V Gain		56.9	74.2	48.9	42.8	70.1	140.1	70.1
Head of Safford	No	101.0	121.0	114.0	167.0	255.0	396.0	120.0
Safford Diversions		158.8	157.0	154.7	157.8	156.5	157.6	157.6
Safford Gain		59.0	76.7	78.1	8.1	-61.9	8.1	-61.9
Calva	No	23.0	36.0	106.0	150.0	18.0	48.0	45.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	4.0	4.0	4.0	4.0	4.0	4.0	4.0
CD-AH Actual Flow Gain		25.0	25.0	25.2	25.1	24.6	25.5	16.6
Kelvin	No	0.8	0.8	0.8	0.0	0.0	2.0	0.0
Winkelman Diversions		17.0	17.0	17.2	17.1	16.6	16.5	14.6
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	12.0	12.0	12.0	12.0	12.0	13.0	6.0

Water Quality Data	7/21/18
Water Quality at San Jose	1,080
Water Quality at Smithville	1,120.0
WQ at Fort Thomas	1,240
Water Quality at Geronimo	609
River Flow at Geronimo	30.0
Seasonal Average Salinity	4,197
WQ at Anderson Flat	0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		7.3	4.7
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		7.3	4.7
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		7.3	4.7