

Call System Version 7.08

| 7/28/2018 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1904b | 1924 | 1885 |
| Upper Safford | 1904a | 1924 | 1885 |
| Middle Safford | 1904a | 1924 | 1896 |
| Lower Safford | 1904a | 1924 | 1845 |
| Winkelman | 1883 | 1845 | 1884 |
| Ashurst-Hayden | 1883 | 1845 | 1845 |

NOTES

- 1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
- 2) Stored Water Available for release 589 Ac-ft.

****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 3.10 feet below 1881 per data from ASARCO _Water Plane Depth 1877.90 on 7/26/18.
 No data 7/28/2018.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|--------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 12.1 | 26.9 | 11.6 | 11.6 | 0.0 |
| New Model | 0.0 | 18.2 | 0.0 | 0.0 | 0.0 |
| Valley | 0.0 | 8.2 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 12.1 | 53.3 | 11.6 | 11.6 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| New Model | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 15.0 | 15.0 | 15.0 | 15.0 | | |

Upper Safford

| | | | | | |
|-----------------|-------------|--------------|-------------|-------------|------------|
| Brown | 4.0 | 10.3 | 4.0 | 4.0 | 0.0 |
| Fourness | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 18.6 | 40.6 | 18.7 | 18.7 | 0.0 |
| Montezuma | 15.4 | 40.5 | 14.8 | 14.8 | 0.0 |
| Union Sunflower | 26.6 | 62.6 | 26.3 | 26.3 | 0.0 |
| Graham | 5.2 | 42.4 | 5.2 | 5.2 | 0.0 |
| Smithville | 11.9 | 24.8 | 12.2 | 12.2 | 0.0 |
| Dodge-Nevada | 6.2 | 25.3 | 6.3 | 6.3 | 0.0 |
| TOTAL | 87.9 | 248.6 | 87.5 | 87.5 | 0.0 |

| | | | | | | |
|-----------------|--------------|--------------|--------------|--------------|----|----|
| Brown | 10.3 | 10.3 | 10.3 | 10.3 | No | No |
| Fourness | 2.0 | 2.0 | 2.0 | 2.0 | No | No |
| San Jose | 40.6 | 40.6 | 40.6 | 40.6 | No | No |
| Montezuma | 40.4 | 40.4 | 40.4 | 40.4 | No | No |
| Union Sunflower | 62.6 | 62.6 | 62.6 | 62.6 | No | No |
| Graham | 20.0 | 20.0 | 20.0 | 20.0 | No | No |
| Smithville | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| Dodge-Nevada | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| TOTAL | 205.9 | 205.9 | 205.9 | 205.9 | | |

Middle Safford

| | | | | | |
|--------------|-------------|-------------|-------------|-------------|------------|
| Curtis | 16.6 | 20.0 | 12.1 | 12.1 | 0.0 |
| Fort Thomas | 5.4 | 15.7 | 5.4 | 5.4 | 0.0 |
| TOTAL | 22.0 | 35.7 | 17.5 | 17.5 | 0.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| Curtis | 20.0 | 20.0 | 20.0 | 20.0 | Yes | No |
| Fort Thomas | 10.0 | 10.0 | 10.0 | 10.0 | No | No |
| TOTAL | 30.0 | 30.0 | 30.0 | 30.0 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 3.4 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 3.4 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|-------------|------------|-------------|
| ASARCO | N/A | N/A | 15.0 | N/A | 15.0 |
| Kearny | 1.0 | 0.0 | 1.0 | 0.0 | 1.0 |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 1.0 | 0.0 | 16.0 | 0.0 | 16.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 1.0 | 1.0 | 1.0 | 1.0 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 15.0 | 15.0 | 15.0 | 15.0 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|------------|--------------|------------|
| SCIDD | 0.0 | 0.0 | 4.0 |
| Pima Agency | 0.0 | 235.5 | 4.0 |
| TOTAL | 0.0 | 235.5 | 8.0 |

| | |
|-----------------------------|-----|
| San Carlos Min. Pool | |
| CAP Exchange | 0.0 |
| Minimum Pool | 2 |

| | | | | | |
|--------------------|------------|------------|------------|------------|-----|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | |

Available River Flow

| | |
|---------|-------|
| Duncan | 222.0 |
| Safford | 131.9 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 7/27/18 | A-H Data | 7/28/18 |
|------------------|---------|------------------|---------|
| Inflow to CD | 10.0 | AH Diversions | 8.0 |
| Coolidge Release | 59.0 | SW @ AH | 8.0 |
| SWR from CD | 49.0 | NF @ AH | 0.0 |
| NFR from CD | 10.0 | NF not Rel. @ AH | 0.0 |
| NF not Released | 0.0 | Total NF @ AH | 0.0 |

| Reservoir Data | 7/27/18 | Inflow (-) | Available for Release to SCIIP |
|------------------|----------|--------------|--------------------------------|
| SC Res Elevation | 2,396.69 | Outflow (AF) | 589 |
| SC Res Storage | 591 | | |
| SC Res AF | -94 | | -87 |

| Water Quality Data | 7/27/18 |
|-----------------------------|---------|
| Water Quality at San Jose | 1,140 |
| Water Quality at Smithville | 1,650.0 |
| WQ at Fort Thomas | 2,010 |
| Water Quality at Geronimo | 1,057 |
| River Flow at Geronimo | 12.0 |
| Seasonal Average Salinity | 4,063 |
| WQ at Anderson Flat | 0 |

| River Data | Estimated Gage Today | Today 7/28/18 | Yesterday 7/27/18 | Day -1 7/26/18 | Day -2 7/25/18 | Day -3 7/24/18 | Day -4 7/23/18 | Day -5 7/22/18 |
|--------------------------|----------------------|---------------|-------------------|----------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 45.0 | 40.0 | 7.0 | 4.0 | 5.0 | 6.0 | 7.0 |
| San Francisco at Clifton | No | 119.0 | 46.0 | 47.0 | 47.0 | 68.0 | 35.0 | 38.0 |
| Duncan-Virden Diversions | | 11.6 | 12.1 | 13.3 | 13.3 | 20.8 | 13.8 | 18.2 |
| D-V Gain | | 61.1 | 34.3 | -10.7 | 46.2 | 116.2 | 46.2 | 56.9 |
| Head of Safford | No | 135.0 | 75.0 | 27.0 | 89.0 | 179.0 | 73.0 | 101.0 |
| Safford Diversions | | 105.0 | 98.9 | 101.5 | 108.6 | 147.5 | 106.0 | 158.8 |
| Safford Gain | | 31.9 | 84.5 | 26.6 | -22.0 | 48.0 | 75.8 | 59.0 |
| Calva | No | 8.0 | 10.0 | 7.0 | 9.0 | 15.0 | 18.0 | 23.0 |
| San Carlos | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Gila Below Coolidge Dam | No | 52.0 | 59.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 |
| CD-AH Actual Flow Gain | | -35.0 | 22.0 | 21.7 | 23.1 | 24.1 | 22.7 | 25.0 |
| Kelvin | No | 1.0 | 1.0 | 1.0 | 1.0 | 0.6 | 0.6 | 0.8 |
| Winkelman Diversions | | 16.0 | 17.0 | 16.7 | 17.1 | 17.1 | 15.7 | 17.0 |
| AH Spilled & Sluiced | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| AH Diversions | No | 8.0 | 9.0 | 9.0 | 10.0 | 11.0 | 11.0 | 12.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|------|-------------|-------|
| NF Div. | | 0.0 | 0.0 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 0.0 | 0.0 |
| NF as SW | 0.0 | | |
| Total SW | 8.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 8.0 | | |
| Excess SW Div. | | 4.0 | 4.0 |
| Total SW Div. | | 4.0 | 4.0 |
| Total Div. | | 4.0 | 4.0 |