

Call System Version 7.08

8/27/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1924
Upper Safford	1924		1924
Middle Safford	1924		1899
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 2350 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 3.85 feet below 1881 per data from ASARCO _Water Plane Depth 1877.15 on 8/27/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	15.0	26.9	15.0	15.0	0.0
New Model Valley	6.0	18.2	5.5	5.5	0.0
Valley	5.0	8.2	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	26.0	53.3	20.5	20.5	0.0

Upper Safford

Brown	10.3	10.3	9.5	9.5	0.0
Fourness	2.0	2.0	2.0	2.0	0.0
San Jose	25.0	40.6	25.0	25.0	0.0
Montezuma	29.5	40.5	29.4	29.4	0.0
Union Sunflower	62.6	62.6	62.6	62.6	0.0
Graham	20.0	42.4	20.0	20.0	0.0
Smithville	0.0	24.8	0.0	0.0	0.0
Dodge-Nevada	15.0	25.3	11.5	11.5	0.0
TOTAL	164.4	248.6	160.0	160.0	0.0

Middle Safford

Curtis	16.6	20.0	16.0	16.0	0.0
Fort Thomas	7.5	15.7	7.4	7.4	0.0
TOTAL	24.1	35.7	23.4	23.4	0.0

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	3.4	0.0	0.0	0.0
TOTAL	0.0	3.4	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	12.4	N/A	12.4
Kearny	1.0	1.3	1.0	1.0	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	1.0	3.2	13.4	1.0	12.4

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	218.2	9.1
Pima Agency	0.0	235.5	13.9
TOTAL	0.0	453.7	23.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	1

Available River Flow

Duncan	330.0
Safford	351.2

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No

Reservoir Data		8/26/18	Inflow (-)	Available for Release to SCIIP
SC Res Elevation	2,400.28			
SC Res Storage	2,352			
SC Res AF	185		313	2,351

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	15.0	15.0	15.0	15.0	No	No
New Model Valley	6.0	6.0	6.0	6.0	Yes	No
Valley	5.0	5.0	5.0	5.0	Yes	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	26.0	26.0	26.0	26.0		

Brown	10.3	10.3	10.3	10.3	Yes	No
Fourness	2.0	2.0	2.0	2.0	No	No
San Jose	25.0	25.0	25.0	25.0	No	No
Montezuma	29.5	29.5	29.5	29.5	No	No
Union Sunflower	62.6	62.6	62.6	62.6	No	No
Graham	20.0	20.0	20.0	20.0	No	No
Smithville	0.0	0.0	15.0	15.0	No	No
Dodge-Nevada	15.0	15.0	15.0	15.0	Yes	No
TOTAL	164.4	164.4	179.4	179.4		

Curtis	20.0	20.0	20.0	20.0	No	No
Fort Thomas	10.0	10.0	10.0	10.0	No	No
TOTAL	30.0	30.0	30.0	30.0		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	1.0	1.0	1.0	1.0	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	15.0	15.0	15.0	15.0		

Coolidge Data	8/26/18	A-H Data	8/27/18
Inflow to CD	202.0	AH Diversions	23.0
Coolidge Release	4.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	23.0
NFR from CD	4.0	NF not Rel. @ AH	198.0
NF not Released	198.0	Total NF @ AH	221.0

River Data	Estimated Gage Today	Today 8/27/18	Yesterday 8/26/18	Day -1 8/25/18	Day -2 8/24/18	Day -3 8/23/18	Day -4 8/22/18	Day -5 8/21/18
Gila at Blue Creek	No	68.0	79.0	45.0	30.0	23.0	38.0	40.0
San Francisco at Clifton	No	88.0	124.0	124.0	73.0	39.0	41.0	43.0
Duncan-Virden Diversions		20.5	19.3	18.9	21.0	16.0	16.3	16.3
D-V Gain		39.8	109.8	179.8	109.8	39.8	109.8	39.8
Head of Safford	No	217.0	247.0	347.0	174.0	86.0	179.0	116.0
Safford Diversions		183.4	184.2	228.0	174.1	126.6	130.2	132.3
Safford Gain		94.2	84.9	154.9	84.9	65.2	104.1	34.1
Calva	No	157.0	194.0	163.0	40.0	114.0	179.0	24.0
San Carlos	No	5.0	8.0	10.0	1.0	2.0	4.0	345.0
Gila Below Coolidge Dam	No	4.0	4.0	5.0	5.0	5.0	49.0	55.0
CD-AH Actual Flow Gain		35.0	105.0	41.0	77.7	7.7	-12.5	-18.0
Kelvin	No	13.0	78.0	180.0	91.0	153.0	44.0	36.0
Winkelman Diversions		13.4	14.0	14.0	12.6	13.7	15.5	15.0
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	23.0	96.0	32.0	99.0	43.0	27.0	21.0

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Water Quality Data		8/26/18
Water Quality at San Jose		1,250
Water Quality at Smithville		1,160.0
WQ at Fort Thomas		1,750
Water Quality at Geronimo		336
River Flow at Geronimo		170.0
Seasonal Average Salinity		3,462
WQ at Anderson Flat		0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		13.9	9.1
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		13.9	9.1
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		13.9	9.1