

Call System Version 7.08

8/28/2019

	Priority Year	Override Year	Regulation Year
Duncan-Virden	1845		1845
Upper Safford	1845		1879
Middle Safford	1845		1883
Lower Safford	1845		1845
Winkelman	1845		1884
Ashurst-Hayden	1845		1845

NOTES

- 1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 - 2) Stored Water Available for release 31,492 Ac-ft.
- ASARCO Monitor Well Data 0.15 feet above 1881 per data from ASARCO_Water Plane Depth 1881.15 on 8/28/19.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	0.0	0.0	0.0	0.0
New Model	0.0	0.0	0.0	0.0	0.0
Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

Upper Safford

Brown	2.0	0.0	2.4	0.0	2.4
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	9.9	0.0	10.0	0.0	10.0
Montezuma	11.2	0.0	10.6	0.0	10.6
Union Sunflower	7.9	0.0	7.7	0.0	7.7
Graham	0.9	0.0	0.0	0.0	0.0
Smithville	0.0	0.0	0.0	0.0	0.0
Dodge-Nevada	0.9	0.0	0.0	0.0	0.0
TOTAL	32.8	0.0	30.7	0.0	30.7

Middle Safford

Curtis	3.9	0.0	3.3	0.0	3.3
Fort Thomas	1.5	0.0	0.0	0.0	0.0
TOTAL	5.4	0.0	3.3	0.0	3.3

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	12.4	N/A	12.4
Kearny	0.8	0.0	0.8	0.0	0.8
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
TOTAL	0.8	0.0	13.2	0.0	13.2

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	264.9
Pima Agency	225.0	229.8	202.1
TOTAL	225.0	229.8	467.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	1

Available River Flow	
Duncan	13.0
Safford	16.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	16.0	16.0	16.0	16.0	No	No
New Model	17.0	17.0	17.0	17.0	No	No
Valley	8.1	8.1	8.1	8.1	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	41.1	41.1	41.1	41.1		

Brown	11.1	11.1	11.1	11.1	Yes	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	26.3	26.3	26.3	26.3	No	No
Montezuma	32.5	32.5	32.5	32.5	Yes	No
Union Sunflower	30.0	30.0	30.0	30.0	No	No
Graham	43.7	43.7	43.7	43.7	Yes	No
Smithville	12.5	12.5	12.5	12.5	No	No
Dodge-Nevada	12.5	12.5	12.5	12.5	Yes	No
TOTAL	168.6	168.6	168.6	168.6		

Curtis	20.0	20.0	20.0	20.0	Yes	No
Fort Thomas	16.0	16.0	16.0	16.0	Yes	No
TOTAL	36.0	36.0	36.0	36.0		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.8	0.8	0.8	0.8	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.8	14.8	14.8	14.8		

Coolidge Data	8/27/19	A-H Data	8/28/19
Inflow to CD	2.0	AH Diversions	467.0
Coolidge Release	503.0	SW @ AH	440.9
SWR from CD	501.0	NF @ AH	26.1
NFR from CD	2.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	26.1

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	No		
Reservoir Data	8/27/19	Inflow (-)	Available
SC Res Elevation	2,417.91	Outflow	for Release
SC Res Storage	31,493	(AF)	to SCIIP
SC Res AF	-945	-992	31,492

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	Yes

Water Quality Data	8/27/19
Water Quality at San Jose	1,480
Water Quality at Smithville	0.0
WQ at Fort Thomas	0
Water Quality at Geronimo	5,200
River Flow at Geronimo	5.0
Seasonal Average Salinity	3,172
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 8/28/19	Yesterday 8/27/19	Day -1 8/26/19	Day -2 8/25/19	Day -3 8/24/19	Day -4 8/23/19	Day -5 8/22/19
Gila at Blue Creek	No	2.0	2.0	2.0	2.0	3.0	3.0	3.0
San Francisco at Clifton	No	12.0	15.0	21.0	21.0	20.0	23.0	21.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		21.0	19.0	20.0	20.0	20.0	19.0	17.0
Head of Safford	No	38.0	42.0	43.0	43.0	46.0	43.0	46.0
Safford Diversions		34.0	39.8	39.3	48.9	53.0	50.8	49.0
Safford Gain		0.8	-1.7	5.9	8.0	11.8	3.5	6.6
Calva	No	3.0	2.0	0.0	1.0	4.0	0.5	1.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	503.0	503.0	528.0	531.0	557.0	557.0	561.0
CD-AH Actual Flow Gain		-22.8	24.7	-32.4	-46.2	-38.2	2.0	-43.3
Kelvin	No	477.0	539.0	508.0	511.0	535.0	532.0	539.0
Winkelman Diversions		13.2	13.7	13.6	14.8	13.8	13.0	13.7
AH Spilled & Sluiced		0.0	0.0	0.0	1.0	0.0	1.0	2.0
AH Diversions	No	467.0	539.0	485.0	495.0	505.0	549.0	502.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		26.1	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		26.1	0.0
NF as SW	0.0		
Total SW	440.9		
SW Div.		175.9	264.9
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		175.9	264.9
Total Div.		202.1	264.9