

Call System Version 7.08

| 9/3/2018 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | 1924 | 1924 |
| Upper Safford | 1904b | 1924 | 1924 |
| Middle Safford | 1904b | 1924 | 1924 |
| Lower Safford | 1904b | 1924 | 1845 |
| Winkelman | 1888 | 1924 | 1884 |
| Ashurst-Hayden | 1888 | 1924 | 1924 |

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 2495 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 4.44 feet below 1881 per data from ASARCO _Water Plane Depth 1876.56 on 9/1/18. No data sent on 9/3/18.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|------------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 15.0 | 26.9 | 15.0 | 15.0 | 0.0 |
| New Model Valley | 6.0 | 18.2 | 6.0 | 6.0 | 0.0 |
| Valley | 5.0 | 8.2 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 26.0 | 53.3 | 21.0 | 21.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|------------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| New Model Valley | 6.0 | 6.0 | 6.0 | 6.0 | No | No |
| Valley | 5.0 | 5.0 | 5.0 | 5.0 | Yes | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 26.0 | 26.0 | 26.0 | 26.0 | | |

Upper Safford

| | | | | | |
|-----------------|--------------|--------------|--------------|--------------|------------|
| Brown | 10.3 | 10.3 | 10.3 | 10.3 | 0.0 |
| Fourness | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 |
| San Jose | 21.0 | 40.6 | 21.0 | 21.0 | 0.0 |
| Montezuma | 26.0 | 40.5 | 26.0 | 26.0 | 0.0 |
| Union Sunflower | 62.6 | 62.6 | 62.6 | 62.6 | 0.0 |
| Graham | 20.0 | 42.4 | 20.0 | 20.0 | 0.0 |
| Smithville | 15.0 | 24.8 | 15.0 | 15.0 | 0.0 |
| Dodge-Nevada | 15.0 | 25.3 | 15.0 | 15.0 | 0.0 |
| TOTAL | 171.9 | 248.6 | 171.9 | 171.9 | 0.0 |

| | | | | | | |
|-----------------|--------------|--------------|--------------|--------------|----|----|
| Brown | 10.3 | 10.3 | 10.3 | 10.3 | No | No |
| Fourness | 2.0 | 2.0 | 2.0 | 2.0 | No | No |
| San Jose | 21.0 | 21.0 | 21.0 | 21.0 | No | No |
| Montezuma | 26.0 | 26.0 | 26.0 | 26.0 | No | No |
| Union Sunflower | 62.6 | 62.6 | 62.6 | 62.6 | No | No |
| Graham | 20.0 | 20.0 | 20.0 | 20.0 | No | No |
| Smithville | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| Dodge-Nevada | 15.0 | 15.0 | 15.0 | 15.0 | No | No |
| TOTAL | 171.9 | 171.9 | 171.9 | 171.9 | | |

Middle Safford

| | | | | | |
|--------------|-------------|-------------|-------------|-------------|------------|
| Curtis | 20.0 | 20.0 | 20.0 | 20.0 | 0.0 |
| Fort Thomas | 10.0 | 15.7 | 10.0 | 10.0 | 0.0 |
| TOTAL | 30.0 | 35.7 | 30.0 | 30.0 | 0.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|----|----|
| Curtis | 20.0 | 20.0 | 20.0 | 20.0 | No | No |
| Fort Thomas | 10.0 | 10.0 | 10.0 | 10.0 | No | No |
| TOTAL | 30.0 | 30.0 | 30.0 | 30.0 | | |

Lower Safford

| | | | | | |
|--------------|------------|------------|------------|------------|------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 3.4 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 3.4 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------------|------------|------------|------------|------------|----|----|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

Winkelman

| | | | | | |
|--------------|------------|------------|-------------|------------|-------------|
| ASARCO | N/A | N/A | 16.0 | N/A | 16.0 |
| Kearny | 0.7 | 1.3 | 0.7 | 0.7 | 0.0 |
| Winkelman Ag | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.7 | 3.2 | 16.7 | 0.7 | 16.0 |

| | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-----|----|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.7 | 0.7 | 0.7 | 0.7 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.7 | 14.7 | 14.7 | 14.7 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|------------|--------------|--------------|
| SCIDD | 0.0 | 218.2 | 76.4 |
| Pima Agency | 0.0 | 223.1 | 117.6 |
| TOTAL | 0.0 | 441.4 | 194.0 |

| San Carlos Min. Pool | |
|----------------------|-----|
| CAP Exchange | 0.0 |
| Minimum Pool | 1 |

| | | | | | |
|--------------------|------------|------------|------------|------------|-----|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | |

Available River Flow

| | |
|---------|-------|
| Duncan | 880.7 |
| Safford | 490.8 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 9/2/18 | A-H Data | 9/3/18 |
|------------------|--------|------------------|--------|
| Inflow to CD | 20.0 | AH Diversions | 194.0 |
| Coolidge Release | 4.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 194.0 |
| NFR from CD | 4.0 | NF not Rel. @ AH | 16.0 |
| NF not Released | 16.0 | Total NF @ AH | 210.0 |

| Retaining Water for Mechanical Reasons? | No | | | |
|---|----------|--------|------------|-------------|
| SCIIP releasing retained water? | No | | | |
| Reservoir Data | | 9/2/18 | Inflow (-) | Available |
| SC Res Elevation | 2,400.49 | | Outflow | for Release |
| SC Res Storage | 2,497 | | (AF) | to SCIIP |
| SC Res AF | -7 | | 284 | 2,496 |

| Water Quality Data | | 9/2/18 |
|-----------------------------|--|---------|
| Water Quality at San Jose | | 1,350 |
| Water Quality at Smithville | | 1,390.0 |
| WQ at Fort Thomas | | 1,760 |
| Water Quality at Geronimo | | 394 |
| River Flow at Geronimo | | 50.0 |
| Seasonal Average Salinity | | 3,345 |
| WQ at Anderson Flat | | 0 |

| River Data | Estimated Gage Today | Today 9/3/18 | Yesterday 9/2/18 | Day -1 9/1/18 | Day -2 8/31/18 | Day -3 8/30/18 | Day -4 8/29/18 | Day -5 8/28/18 |
|--------------------------|----------------------|--------------|------------------|---------------|----------------|----------------|----------------|----------------|
| Gila at Blue Creek | No | 283.0 | 40.0 | 40.0 | 51.0 | 54.0 | 67.0 | 70.0 |
| San Francisco at Clifton | No | 319.0 | 110.0 | 36.0 | 46.0 | 49.0 | 61.0 | 69.0 |
| Duncan-Virden Diversions | | 21.0 | 14.0 | 3.9 | 14.9 | 17.8 | 17.4 | 20.5 |
| D-V Gain | | 101.9 | 31.9 | 14.9 | 20.8 | 8.4 | 33.5 | 33.5 |
| Head of Safford | No | 314.0 | 104.0 | 97.0 | 106.0 | 119.0 | 152.0 | 169.0 |
| Safford Diversions | | 201.9 | 127.8 | 121.0 | 125.0 | 146.9 | 159.7 | 180.8 |
| Safford Gain | | 114.0 | 44.0 | 31.0 | 43.9 | 35.7 | 59.8 | 69.4 |
| Calva | No | 147.0 | 20.0 | 12.0 | 16.0 | 28.0 | 48.0 | 103.0 |
| San Carlos | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 2.0 |
| Gila Below Coolidge Dam | No | 4.0 | 4.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 |
| CD-AH Actual Flow Gain | | 62.8 | -7.2 | -7.8 | -10.6 | -17.9 | -17.0 | 31.4 |
| Kelvin | No | 235.0 | 504.0 | 39.0 | 38.0 | 33.0 | 9.0 | 31.0 |
| Winkelman Diversions | | 16.7 | 16.8 | 17.2 | 16.4 | 16.1 | 16.0 | 14.4 |
| AH Spilled & Sluiced | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| AH Diversions | No | 194.0 | 29.0 | 28.0 | 26.0 | 19.0 | 20.0 | 21.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|-------------------------|------|-------------|-------|
| NF Div. | | 117.6 | 76.4 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 117.6 | 76.4 |
| NF as SW | 0.0 | | |
| Total SW | 0.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 0.0 | 0.0 |
| Total Div. | | 117.6 | 76.4 |