

# Call System Version 7.08

9/14/2017	Priority Year	Override Year	Regulation Year
Duncan-Virden	1846		1884
Upper Safford	1868		1884
Middle Safford	1868		1900
Lower Safford	1868		1845
Winkelman	1881		1884
Ashurst-Hayden	1881		1845

## NOTES

- 1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
  - 2) Stored Water Available for release 96,331 Ac-ft.
- \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 3.90 feet above 1881 per data from ASARCO \_Water Plane Depth 1884.90 on 9/14/17.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	9.7	0.0	9.7	0.0	9.7
New Model Valley	0.3	0.0	0.0	0.0	0.0
Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>10.0</b>	<b>0.0</b>	<b>9.7</b>	<b>0.0</b>	<b>9.7</b>

## Upper Safford

Brown	3.6	0.0	3.3	0.0	3.3
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	17.5	0.0	17.6	0.0	17.6
Montezuma	13.5	0.0	4.9	0.0	4.9
Union Sunflower	20.8	0.0	20.4	0.0	20.4
Graham	4.2	0.0	4.2	0.0	4.2
Smithville	11.0	0.0	11.5	0.0	11.5
Dodge-Nevada	5.3	0.0	5.3	0.0	5.3
<b>TOTAL</b>	<b>75.9</b>	<b>0.0</b>	<b>67.2</b>	<b>0.0</b>	<b>67.2</b>

## Middle Safford

Curtis	16.6	0.0	11.0	0.0	11.0
Fort Thomas	9.0	0.0	8.3	0.0	8.3
<b>TOTAL</b>	<b>25.5</b>	<b>0.0</b>	<b>19.3</b>	<b>0.0</b>	<b>19.3</b>

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	3.6	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>3.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

## Winkelman

ASARCO	N/A	N/A	10.8	N/A	10.8
Kearny	0.7	0.0	0.7	0.0	0.7
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.7</b>	<b>0.0</b>	<b>11.5</b>	<b>0.0</b>	<b>11.5</b>

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	289.6
Pima Agency	105.0	229.5	101.4
<b>TOTAL</b>	<b>105.0</b>	<b>229.5</b>	<b>391.0</b>

<b>San Carlos Min. Pool</b>	
CAP Exchange	0.0
Minimum Pool	6

### Available River Flow

Duncan	112.5
Safford	104.8

Retaining Water for Mechanical Reasons?	No
SCIIP releasing retained water?	No

Reservoir Data		9/13/17	Inflow (-)	Available for Release to SCIIP
SC Res Elevation		2,435.77		
SC Res Storage		96,338	(AF)	
SC Res AF		-1,011	-768	96,332

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	9/13/17	A-H Data	9/14/17
Inflow to CD	11.0	AH Diversions	391.0
Coolidge Release	397.0	SW @ AH	339.7
SWR from CD	386.0	NF @ AH	51.3
NFR from CD	11.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	51.3

Water Quality Data		9/13/17
Water Quality at San Jose		1,250
Water Quality at Smithville		1,340.0
WQ at Fort Thomas		1,780
Water Quality at Geronimo		4,825
River Flow at Geronimo		12.0
Seasonal Average Salinity		2,748
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 9/14/17	Yesterday 9/13/17	Day -1 9/12/17	Day -2 9/11/17	Day -3 9/10/17	Day -4 9/9/17	Day -5 9/8/17
Gila at Blue Creek	No	39.0	43.0	42.0	45.0	51.9	40.0	47.0
San Francisco at Clifton	No	39.0	37.0	35.0	41.0	38.6	38.6	52.0
Duncan-Virden Diversions		9.7	9.7	9.7	12.6	12.5	12.7	16.3
D-V Gain		9.7	16.7	15.6	21.0	21.6	16.1	47.1
Head of Safford	No	80.0	84.0	89.0	99.0	87.5	98.8	101.0
Safford Diversions		86.4	93.4	94.1	133.1	145.3	138.0	144.4
Safford Gain		19.4	16.1	46.1	69.8	54.2	57.3	51.7
Calva	No	10.0	11.0	12.0	12.0	15.0	13.9	14.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	397.0	397.0	429.0	432.0	429.0	432.0	429.0
CD-AH Actual Flow Gain		5.5	2.9	2.6	8.7	13.7	10.7	9.7
Kelvin	No	417.0	424.0	464.0	457.0	468.0	471.0	460.0
Winkelman Diversions		11.5	12.9	12.6	12.7	14.7	14.7	13.7
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	391.0	419.0	422.0	425.0	431.0	425.0	428.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		51.3	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		51.3	0.0
NF as SW	0.0		
Total SW	339.7		
SW Div.		50.1	289.6
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		50.1	289.6
Total Div.		101.4	289.6