

# Call System Version 7.08

9/26/2017	Priority Year	Override Year	Regulation Year
Duncan-Virden	1845		1894
Upper Safford	1845		1845
Middle Safford	1845		1845
Lower Safford	1845		1845
Winkelman	1845		1884
Ashurst-Hayden	1845		1845

## NOTES

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 86,845 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 4.32 feet above 1881 per data from ASARCO \_Water Plane Depth 1885.32 on 9/26/17.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	10.0	0.0	10.0	0.0	10.0
New Model Valley	5.9	0.0	6.2	0.0	6.2
Valley	0.0	0.0	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>15.9</b>	<b>0.0</b>	<b>16.2</b>	<b>0.0</b>	<b>16.2</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	10.0	10.0	10.0	10.0	No	No
New Model Valley	14.3	14.3	14.3	14.3	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>24.3</b>	<b>24.3</b>	<b>24.3</b>	<b>24.3</b>		

## Upper Safford

Brown	0.0	0.0	0.0	0.0	0.0
Fourness	0.0	0.0	0.0	0.0	0.0
San Jose	0.0	0.0	0.0	0.0	0.0
Montezuma	0.0	0.0	0.0	0.0	0.0
Union Sunflower	0.0	0.0	0.0	0.0	0.0
Graham	0.0	0.0	0.0	0.0	0.0
Smithville	0.0	0.0	0.0	0.0	0.0
Dodge-Nevada	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Middle Safford

Curtis	0.0	0.0	0.0	0.0	0.0
Fort Thomas	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Winkelman

ASARCO	N/A	N/A	7.7	N/A	7.7
Kearny	0.7	0.0	0.7	0.0	0.7
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.7</b>	<b>0.0</b>	<b>8.4</b>	<b>0.0</b>	<b>8.4</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.7	0.7	0.7	0.7	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>14.7</b>	<b>14.7</b>	<b>14.7</b>	<b>14.7</b>		

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	179.8
Pima Agency	110.0	229.5	94.2
<b>TOTAL</b>	<b>110.0</b>	<b>229.5</b>	<b>274.0</b>

<b>San Carlos Min. Pool</b>	
CAP Exchange	0.0
Minimum Pool	6

SCIDD Call	210.0	170.0	150.0	150.0	Yes
SCIDD Order	210.0	170.0	150.0	150.0	Yes
Pima Agency Call	110.0	110.0	105.0	105.0	Yes
P.A. Order	110.0	110.0	105.0	105.0	Yes
<b>TOTAL ORDER</b>	<b>320.0</b>	<b>280.0</b>	<b>255.0</b>	<b>255.0</b>	

Available River Flow	
Duncan	17.7
Safford	0.0

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	9/25/17	A-H Data	9/26/17
Inflow to CD	22.0	AH Diversions	274.0
Coolidge Release	314.0	SW @ AH	257.0
SWR from CD	292.0	NF @ AH	17.0
NFR from CD	22.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	17.0

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	No		
<b>Reservoir Data</b>	9/25/17	Inflow (-)	Available
SC Res Elevation	2,433.60	Outflow	for Release
SC Res Storage	86,852	(AF)	to SCIIP
SC Res AF	-128		86,846

Water Quality Data		9/25/17
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		0
Water Quality at Geronimo		2,525
River Flow at Geronimo		25.0
Seasonal Average Salinity		2,783
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 9/26/17	Yesterday 9/25/17	Day -1 9/24/17	Day -2 9/23/17	Day -3 9/22/17	Day -4 9/21/17	Day -5 9/20/17
Gila at Blue Creek	No	52.0	47.0	32.0	29.0	34.0	35.0	38.0
San Francisco at Clifton	No	36.0	33.0	28.0	27.0	27.0	26.0	30.0
Duncan-Virden Diversions		16.2	15.3	14.4	14.0	13.6	14.5	18.5
D-V Gain		7.3	23.4	26.0	19.6	22.5	21.5	14.1
Head of Safford	No	72.0	69.0	68.0	67.0	69.0	71.0	75.0
Safford Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
Safford Gain		-46.0	-46.0	-46.0	-48.0	-48.0	-53.0	-55.0
Calva	No	23.0	22.0	21.0	21.0	23.0	22.0	21.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	285.0	314.0	314.0	314.0	344.0	360.0	357.0
CD-AH Actual Flow Gain		-31.6	-27.3	-24.3	-48.3	-40.0	-35.2	-34.1
Kelvin	No	266.0	294.0	298.0	302.0	353.0	353.0	353.0
Winkelman Diversions		8.4	12.7	13.7	13.7	12.0	10.8	9.9
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	274.0	274.0	276.0	282.0	308.0	311.0	313.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		17.0	0.0
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		17.0	0.0
NF as SW	0.0		
Total SW	257.0		
SW Div.		77.1	179.8
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		77.1	179.8
Total Div.		94.2	179.8