

Call System Version 7.08

| 10/31/2018 | Priority Year | Override Year | Regulation Year |
|----------------|---------------|---------------|-----------------|
| Duncan-Virden | 1924 | | 1845 |
| Upper Safford | 1924 | | 1845 |
| Middle Safford | 1924 | | 1900 |
| Lower Safford | 1924 | | 1845 |
| Winkelman | 1924 | | 1884 |
| Ashurst-Hayden | 1924 | | 1924 |

NOTES

- 1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
- 2) Stored Water Available for release 11,013 Ac-ft.

****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 1.85 feet below 1881 per data from ASARCO _Water Plane Depth 1879.15 on 10/31/18.

| Duncan | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|---------------|------------------|----------------------|----------------|-------------------|------------------|
| Sunset | 0.0 | 26.9 | 0.0 | 0.0 | 0.0 |
| New Model | 0.0 | 18.2 | 0.0 | 0.0 | 0.0 |
| Valley | 0.0 | 8.2 | 0.0 | 0.0 | 0.0 |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 53.3 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Sunset | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| New Model | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Valley | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Laura Short | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

| Upper Safford | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|----------------------|------------------|----------------------|----------------|-------------------|------------------|
| Brown | 0.0 | 10.3 | 0.0 | 0.0 | 0.0 |
| Fourness | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| San Jose | 0.0 | 40.6 | 0.0 | 0.0 | 0.0 |
| Montezuma | 0.0 | 40.5 | 0.0 | 0.0 | 0.0 |
| Union Sunflower | 0.0 | 62.6 | 0.0 | 0.0 | 0.0 |
| Graham | 0.0 | 42.4 | 0.0 | 0.0 | 0.0 |
| Smithville | 0.0 | 24.8 | 0.0 | 0.0 | 0.0 |
| Dodge-Nevada | 0.0 | 26.4 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 249.7 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|-----------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Brown | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fourness | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| San Jose | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Montezuma | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Union Sunflower | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Graham | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Smithville | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Dodge-Nevada | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

| Middle Safford | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|-----------------------|------------------|----------------------|----------------|-------------------|------------------|
| Curtis | 0.0 | 20.0 | 0.0 | 0.0 | 0.0 |
| Fort Thomas | 9.0 | 15.7 | 8.7 | 8.7 | 0.0 |
| TOTAL | 9.0 | 35.7 | 8.7 | 8.7 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Curtis | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Fort Thomas | 15.7 | 15.7 | 15.7 | 15.7 | No | No |
| TOTAL | 15.7 | 15.7 | 15.7 | 15.7 | | |

| Lower Safford | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|----------------------|------------------|----------------------|----------------|-------------------|------------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| Colvin-Jones | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| Apache | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 0.0 | 0.0 | 0.0 | 0.0 | | |

| Winkelman | Call Entitlement | Priority Entitlement | Total Diverted | Priority Diverted | Apport. Diverted |
|------------------|------------------|----------------------|----------------|-------------------|------------------|
| ASARCO | N/A | N/A | 15.0 | N/A | 15.0 |
| Kearny | 0.6 | 1.3 | 0.6 | 0.6 | 0.0 |
| Winkelman Ag | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| TOTAL | 0.6 | 3.2 | 15.6 | 0.6 | 15.0 |

| | Today Day 1 | Today+1 Day 2 | Today+2 Day 3 | Today+3 Day 4 | Potential Problems | Apport. Exhausted |
|--------------|-------------|---------------|---------------|---------------|--------------------|-------------------|
| ASARCO | 14.0 | 14.0 | 14.0 | 14.0 | Yes | No |
| Kearny | 0.6 | 0.4 | 0.4 | 0.4 | No | No |
| Winkelman Ag | 0.0 | 0.0 | 0.0 | 0.0 | No | No |
| TOTAL | 14.6 | 14.4 | 14.4 | 14.4 | | |

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

| | | | |
|--------------|------------|--------------|-------------|
| SCIDD | 0.0 | 24.1 | 7.9 |
| Pima Agency | 0.0 | 223.1 | 12.1 |
| TOTAL | 0.0 | 247.3 | 20.0 |

| San Carlos Min. Pool | |
|-----------------------------|-----|
| CAP Exchange | 0.0 |
| Minimum Pool | 1 |

| | | | | | |
|--------------------|------------|------------|------------|------------|-----|
| SCIDD Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| SCIDD Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| Pima Agency Call | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| P.A. Order | 0.0 | 0.0 | 0.0 | 0.0 | Yes |
| TOTAL ORDER | 0.0 | 0.0 | 0.0 | 0.0 | |

| Available River Flow | |
|-----------------------------|-------|
| Duncan | 142.5 |
| Safford | 143.5 |

| | |
|--------------------------|----|
| Sudden Freshets in UV | No |
| Sudden Freshets in LV | No |
| Is Cosper's Crossing Dry | No |

| Coolidge Data | 10/30/18 | A-H Data | 10/31/18 |
|----------------------|----------|------------------|----------|
| Inflow to CD | 162.0 | AH Diversions | 20.0 |
| Coolidge Release | 55.0 | SW @ AH | 0.0 |
| SWR from CD | 0.0 | NF @ AH | 20.0 |
| NFR from CD | 55.0 | NF not Rel. @ AH | 107.0 |
| NF not Released | 107.0 | Total NF @ AH | 147.0 |

| Reservoir Data | | 10/30/18 | Inflow (-) | Available for Release |
|-----------------------|----------|----------|--------------|-----------------------|
| SC Res Elevation | 2,408.02 | | Outflow (AF) | to SCIIP |
| SC Res Storage | 11,014 | | 175 | 11,013 |
| SC Res AF | 195 | | | |

| Water Quality Data | | 10/30/18 |
|-----------------------------|--|----------|
| Water Quality at San Jose | | 0 |
| Water Quality at Smithville | | 0.0 |
| WQ at Fort Thomas | | 830 |
| Water Quality at Geronimo | | 793 |
| River Flow at Geronimo | | 150.0 |
| Seasonal Average Salinity | | 2,711 |
| WQ at Anderson Flat | | 0 |

| River Data | Estimated Gage Today | Today 10/31/18 | Yesterday 10/30/18 | Day -1 10/29/18 | Day -2 10/28/18 | Day -3 10/27/18 | Day -4 10/26/18 | Day -5 10/25/18 |
|--------------------------|----------------------|----------------|--------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Gila at Blue Creek | No | 142.0 | 138.0 | 140.0 | 164.0 | 150.0 | 188.0 | 188.0 |
| San Francisco at Clifton | No | 81.0 | 86.0 | 80.0 | 215.0 | 215.0 | 86.0 | 86.0 |
| Duncan-Virden Diversions | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| D-V Gain | | -31.0 | -67.0 | -137.0 | -67.0 | 3.0 | 50.0 | 47.0 |
| Head of Safford | No | 193.0 | 202.0 | 221.0 | 247.0 | 277.0 | 324.0 | 447.0 |
| Safford Diversions | | 8.7 | 8.9 | 8.9 | 8.9 | 8.9 | 8.9 | 9.2 |
| Safford Gain | | -50.1 | -50.1 | -43.1 | -57.1 | -73.1 | -88.9 | -139.5 |
| Calva | No | 143.0 | 162.0 | 195.0 | 211.0 | 242.0 | 349.0 | 903.0 |
| San Carlos | No | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Gila Below Coolidge Dam | No | 55.0 | 55.0 | 51.0 | 3.0 | 54.0 | 54.0 | 54.0 |
| CD-AH Actual Flow Gain | | 0.5 | 23.5 | 51.6 | 35.9 | 45.2 | 115.2 | 45.2 |
| Kelvin | No | 5.0 | 12.0 | 25.0 | 46.0 | 89.0 | 299.0 | 52.0 |
| Winkelman Diversions | | 15.6 | 14.5 | 14.6 | 14.9 | 10.6 | 9.6 | 9.2 |
| AH Spilled & Sluiced | | 20.0 | 30.0 | 20.0 | 0.0 | 0.0 | 290.0 | 45.0 |
| AH Diversions | No | 20.0 | 30.0 | 20.0 | 75.0 | 0.0 | 290.0 | 45.0 |

| SCIIP Division of Water | Flow | Pima Agency | SCIDD |
|--------------------------------|------|-------------|-------|
| NF Div. | | 12.1 | 7.9 |
| Excess NF | 0.0 | | |
| Excess NF Div | | 0.0 | 0.0 |
| Total NF Div. | | 12.1 | 7.9 |
| NF as SW | 0.0 | | |
| Total SW | 0.0 | | |
| SW Div. | | 0.0 | 0.0 |
| Excess SW | 0.0 | | |
| Excess SW Div. | | 0.0 | 0.0 |
| Total SW Div. | | 0.0 | 0.0 |
| Total Div. | | 12.1 | 7.9 |