

# Call System Version 7.08

11/2/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1845
Upper Safford	1924		1845
Middle Safford	1924		1914
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

## NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 11,301 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 2.02 feet below 1881 per data from ASARCO \_Water Plane Depth 1878.98 on 11/1/18.  
 No Data 11/2/2018.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	26.9	0.0	0.0	0.0
New Model	0.0	18.2	0.0	0.0	0.0
Valley	0.0	8.2	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>53.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

## Upper Safford

Brown	0.0	10.3	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	40.6	0.0	0.0	0.0
Montezuma	0.0	40.5	0.0	0.0	0.0
Union Sunflower	0.0	62.6	0.0	0.0	0.0
Graham	0.0	42.4	0.0	0.0	0.0
Smithville	0.0	24.8	0.0	0.0	0.0
Dodge-Nevada	0.0	26.4	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>249.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

## Middle Safford

Curtis	0.0	20.0	0.0	0.0	0.0
Fort Thomas	13.9	15.7	13.3	13.3	0.0
<b>TOTAL</b>	<b>13.9</b>	<b>35.7</b>	<b>13.3</b>	<b>13.3</b>	<b>0.0</b>

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

## Winkelman

ASARCO	N/A	N/A	16.0	N/A	16.0
Kearny	0.4	1.3	0.4	0.4	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.4</b>	<b>3.2</b>	<b>16.4</b>	<b>0.4</b>	<b>16.0</b>

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	24.1	7.9
Pima Agency	0.0	223.1	12.1
<b>TOTAL</b>	<b>0.0</b>	<b>247.3</b>	<b>20.0</b>

<b>San Carlos Min. Pool</b>	
CAP Exchange	0.0
Minimum Pool	1

Available River Flow	
Duncan	161.1
Safford	151.1

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model	0.0	0.0	0.0	0.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	15.7	15.7	15.7	15.7	No	No
<b>TOTAL</b>	<b>15.7</b>	<b>15.7</b>	<b>15.7</b>	<b>15.7</b>		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.4	0.4	0.4	0.4	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>14.4</b>	<b>14.4</b>	<b>14.4</b>	<b>14.4</b>		

Coolidge Data	11/1/18	A-H Data	11/2/18
Inflow to CD	147.0	AH Diversions	20.0
Coolidge Release	55.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	20.0
NFR from CD	55.0	NF not Rel. @ AH	92.0
NF not Released	92.0	Total NF @ AH	132.0

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	Yes		
<b>Reservoir Data</b>	11/1/18	Inflow (-)	Available
SC Res Elevation	2,408.21	Outflow	for Release
SC Res Storage	11,302	(AF)	to SCIIP
SC Res AF	122	175	11,301

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Water Quality Data	11/1/18
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	770
Water Quality at Geronimo	908
River Flow at Geronimo	145.0
Seasonal Average Salinity	2,704
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 11/2/18	Yesterday 11/1/18	Day -1 10/31/18	Day -2 10/30/18	Day -3 10/29/18	Day -4 10/28/18	Day -5 10/27/18
Gila at Blue Creek	No	130.0	120.0	142.0	138.0	140.0	164.0	150.0
San Francisco at Clifton	No	79.0	79.0	81.0	86.0	80.0	215.0	215.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		-10.0	-32.0	-31.0	-67.0	-137.0	-67.0	3.0
Head of Safford	No	189.0	191.0	193.0	202.0	221.0	247.0	277.0
Safford Diversions		13.3	8.7	8.7	8.9	8.9	8.9	8.9
Safford Gain		-39.3	-37.3	-50.1	-50.1	-43.1	-57.1	-73.1
Calva	No	143.0	147.0	143.0	162.0	195.0	211.0	242.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	55.0	55.0	55.0	55.0	51.0	3.0	54.0
CD-AH Actual Flow Gain		1.4	2.1	0.5	23.5	51.6	35.9	45.2
Kelvin	No	46.0	43.0	5.0	12.0	25.0	46.0	89.0
Winkelman Diversions		16.4	17.1	15.6	14.5	14.6	14.9	10.6
AH Spilled & Sluiced		20.0	20.0	20.0	30.0	20.0	0.0	0.0
AH Diversions	No	20.0	20.0	20.0	30.0	20.0	75.0	0.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		12.1	7.9
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		12.1	7.9
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		12.1	7.9