

# Call System Version 7.08

11/3/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1845
Upper Safford	1924		1845
Middle Safford	1924		1914
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

## NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)  
 2) Stored Water Available for release 11,439 Ac-ft.  
 \*\*\*\*Total on call system Box "Available for release" includes 1) & 2)  
 ASARCO Monitor Well Corrected data 2.02 feet below 1881 per data from ASARCO \_Water Plane Depth 1878.98 on 11/1/18.  
 No Data 11/3/2018.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	26.9	0.0	0.0	0.0
New Model	0.0	18.2	0.0	0.0	0.0
Valley	0.0	8.2	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>53.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model	0.0	0.0	0.0	0.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Upper Safford

Brown	0.0	10.3	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	40.6	0.0	0.0	0.0
Montezuma	0.0	40.5	0.0	0.0	0.0
Union Sunflower	0.0	62.6	0.0	0.0	0.0
Graham	0.0	42.4	0.0	0.0	0.0
Smithville	0.0	24.8	0.0	0.0	0.0
Dodge-Nevada	0.0	26.4	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>249.7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Brown	0.0	0.0	0.0	5.6	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>5.6</b>		

## Middle Safford

Curtis	0.0	20.0	0.0	0.0	0.0
Fort Thomas	13.9	15.7	13.3	13.3	0.0
<b>TOTAL</b>	<b>13.9</b>	<b>35.7</b>	<b>13.3</b>	<b>13.3</b>	<b>0.0</b>

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	15.7	15.7	15.7	15.7	No	No
<b>TOTAL</b>	<b>15.7</b>	<b>15.7</b>	<b>15.7</b>	<b>15.7</b>		

## Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

## Winkelman

ASARCO	N/A	N/A	16.0	N/A	16.0
Kearny	0.4	1.3	0.4	0.4	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
<b>TOTAL</b>	<b>0.4</b>	<b>3.2</b>	<b>16.4</b>	<b>0.4</b>	<b>16.0</b>

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.4	0.4	0.4	0.4	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
<b>TOTAL</b>	<b>14.4</b>	<b>14.4</b>	<b>14.4</b>	<b>14.4</b>		

## SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	24.1	7.9
Pima Agency	0.0	223.1	12.1
<b>TOTAL</b>	<b>0.0</b>	<b>247.3</b>	<b>20.0</b>

<b>San Carlos Min. Pool</b>	
CAP Exchange	0.0
Minimum Pool	1

SCIDD Call	0.0	0.0	0.0	0.0	Yes
SCIDD Order	0.0	0.0	0.0	0.0	Yes
Pima Agency Call	0.0	0.0	0.0	0.0	Yes
P.A. Order	0.0	0.0	0.0	0.0	Yes
<b>TOTAL ORDER</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	

Available River Flow	
Duncan	125.7
Safford	139.7

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	11/2/18	A-H Data	11/3/18
Inflow to CD	143.0	AH Diversions	20.0
Coolidge Release	55.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	20.0
NFR from CD	55.0	NF not Rel. @ AH	88.0
NF not Released	88.0	Total NF @ AH	108.0

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	No		
<b>Reservoir Data</b>	11/2/18	Inflow (-)	Available
SC Res Elevation	2,408.30	Outflow	for Release
SC Res Storage	11,440	(AF)	to SCIIP
SC Res AF	138	266	11,439

Water Quality Data		11/2/18
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		820
Water Quality at Geronimo		933
River Flow at Geronimo		140.0
Seasonal Average Salinity		2,704
WQ at Anderson Flat		0

River Data	Estimated Gage Today	Today 11/3/18	Yesterday 11/2/18	Day -1 11/1/18	Day -2 10/31/18	Day -3 10/30/18	Day -4 10/29/18	Day -5 10/28/18
Gila at Blue Creek	No	120.0	130.0	120.0	142.0	138.0	140.0	164.0
San Francisco at Clifton	No	75.0	79.0	79.0	81.0	86.0	80.0	215.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		-16.0	-10.0	-32.0	-31.0	-67.0	-137.0	-67.0
Head of Safford	No	193.0	189.0	191.0	193.0	202.0	221.0	247.0
Safford Diversions		13.3	13.3	8.7	8.7	8.9	8.9	8.9
Safford Gain		-34.7	-39.3	-37.3	-50.1	-50.1	-43.1	-57.1
Calva	No	141.0	143.0	147.0	143.0	162.0	195.0	211.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	7.0	55.0	55.0	55.0	55.0	51.0	3.0
CD-AH Actual Flow Gain		-18.6	1.4	2.1	0.5	23.5	51.6	35.9
Kelvin	No	48.0	46.0	43.0	5.0	12.0	25.0	46.0
Winkelman Diversions		16.4	16.4	17.1	15.6	14.5	14.6	14.9
AH Spilled & Sluiced		0.0	20.0	20.0	20.0	30.0	20.0	0.0
AH Diversions	No	20.0	20.0	20.0	20.0	30.0	20.0	75.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		12.1	7.9
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		12.1	7.9
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		12.1	7.9