

Call System Version 7.08

11/26/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1888
Upper Safford	1924		1845
Middle Safford	1924		1898
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

NOTES

- 1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 - 2) Stored Water Available for release 14,155 Ac-ft.
- ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 4.02 feet below 1881 per data from ASARCO _Water Plane Depth 1876.98 on 11/26/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	26.9	0.0	0.0	0.0
New Model Valley	3.6	18.2	2.4	2.4	0.0
Valley	0.0	8.2	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	3.6	53.3	2.4	2.4	0.0

Upper Safford

Brown	0.0	10.3	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	40.6	0.0	0.0	0.0
Montezuma	0.0	40.5	0.0	0.0	0.0
Union Sunflower	0.0	62.6	0.0	0.0	0.0
Graham	0.0	42.4	0.0	0.0	0.0
Smithville	0.0	24.8	0.0	0.0	0.0
Dodge-Nevada	0.0	26.4	0.0	0.0	0.0
TOTAL	0.0	249.7	0.0	0.0	0.0

Middle Safford

Curtis	0.0	20.0	0.0	0.0	0.0
Fort Thomas	6.5	15.7	6.8	6.8	0.0
TOTAL	6.5	35.7	6.8	6.8	0.0

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	15.2	N/A	15.2
Kearny	0.4	1.3	0.4	0.4	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	0.4	3.2	15.6	0.4	15.2

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	24.1	3.9
Pima Agency	0.0	223.1	6.1
TOTAL	0.0	247.3	10.0

San Carlos Min. Pool	0.0
CAP Exchange	0.0
Minimum Pool	1

Available River Flow	
Duncan	147.8
Safford	149.4

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model Valley	9.0	9.0	9.0	9.0	Yes	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	9.0	9.0	9.0	9.0		

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	15.7	15.7	15.7	15.7	No	No
TOTAL	15.7	15.7	15.7	15.7		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.4	0.4	0.4	0.4	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.4	14.4	14.4	14.4		

Coolidge Data	11/25/18	A-H Data	11/26/18
Inflow to CD	104.0	AH Diversions	10.0
Coolidge Release	3.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	10.0
NFR from CD	3.0	NF not Rel. @ AH	101.0
NF not Released	101.0	Total NF @ AH	121.0

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	Yes		
Reservoir Data	11/25/18	Inflow (-)	Available
SC Res Elevation	2,409.99	Outflow	for Release
SC Res Storage	14,156	(AF)	to SCIIP
SC Res AF	117	101	14,155

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Water Quality Data	11/25/18
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	980
Water Quality at Geronimo	1,332
River Flow at Geronimo	110.0
Seasonal Average Salinity	2,704
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 11/26/18	Yesterday 11/25/18	Day -1 11/24/18	Day -2 11/23/18	Day -3 11/22/18	Day -4 11/21/18	Day -5 11/20/18
Gila at Blue Creek	No	80.0	83.0	79.0	79.0	77.0	71.0	76.0
San Francisco at Clifton	No	58.0	59.0	58.0	58.0	56.0	56.0	54.0
Duncan-Virden Diversions		2.4	2.4	7.2	7.3	7.3	7.3	7.3
D-V Gain		-2.6	1.2	2.3	6.3	11.3	12.3	-0.7
Head of Safford	No	137.0	131.0	132.0	132.0	131.0	135.0	135.0
Safford Diversions		6.8	6.8	6.8	6.8	6.8	9.9	14.4
Safford Gain		-20.2	-21.2	-22.2	-20.2	-21.2	-14.6	-16.6
Calva	No	104.0	104.0	103.0	104.0	104.0	106.0	106.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	53.0	3.0	3.0	3.0	58.0	58.0	58.0
CD-AH Actual Flow Gain		32.6	14.4	9.4	-40.6	-40.6	-35.6	-34.6
Kelvin	No	19.0	25.0	43.0	68.0	67.0	65.0	62.0
Winkelman Diversions		15.6	12.4	12.4	12.4	12.4	12.4	13.4
AH Spilled & Sluiced		10.0	0.0	0.0	0.0	0.0	5.0	5.0
AH Diversions	No	10.0	5.0	0.0	5.0	5.0	5.0	5.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		6.1	3.9
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		6.1	3.9
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		6.1	3.9