

Call System Version 7.08

11/30/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1888
Upper Safford	1924		1845
Middle Safford	1924		1897
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

NOTES

- 1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
- 2) Stored Water Available for release 14,649 Ac-ft.

****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 4.15 feet below 1881 per data from ASARCO _Water Plane Depth 1876.85 on 11/30/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	26.9	0.0	0.0	0.0
New Model	3.6	18.2	2.4	2.4	0.0
Valley	0.0	8.2	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	3.6	53.3	2.4	2.4	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model	9.0	9.0	9.0	9.0	Yes	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	9.0	9.0	9.0	9.0		

Upper Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Brown	0.0	10.3	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	40.6	0.0	0.0	0.0
Montezuma	0.0	40.5	0.0	0.0	0.0
Union Sunflower	0.0	62.6	0.0	0.0	0.0
Graham	0.0	42.4	0.0	0.0	0.0
Smithville	0.0	24.8	0.0	0.0	0.0
Dodge-Nevada	0.0	26.4	0.0	0.0	0.0
TOTAL	0.0	249.7	0.0	0.0	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	17.5	No	No
Montezuma	0.0	0.0	0.0	12.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	29.5		

Middle Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Curtis	0.0	20.0	0.0	0.0	0.0
Fort Thomas	5.9	15.7	5.8	5.8	0.0
TOTAL	5.9	35.7	5.8	5.8	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Curtis	0.0	0.0	0.0	7.5	No	No
Fort Thomas	15.7	15.7	15.7	15.7	No	No
TOTAL	15.7	15.7	15.7	23.2		

Lower Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Winkelman	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
ASARCO	N/A	N/A	14.9	N/A	14.9
Kearny	0.4	1.3	0.4	0.4	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	0.4	3.2	15.3	0.4	14.9

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.4	0.3	0.3	0.3	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.4	14.3	14.3	14.3		

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIIP	Call Entitlement	Priority Entitlement	Total Diverted
SCIDD	0.0	24.1	7.9
Pima Agency	0.0	223.1	12.1
TOTAL	0.0	247.3	20.0

San Carlos Min. Pool	Value
CAP Exchange	0.0
Minimum Pool	1

SCIIP Call	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
SCIDD Call	0.0	0.0	0.0	0.0	Yes	Yes
SCIDD Order	0.0	0.0	0.0	0.0	Yes	Yes
Pima Agency Call	0.0	0.0	0.0	0.0	Yes	Yes
P.A. Order	0.0	0.0	0.0	0.0	Yes	Yes
TOTAL ORDER	0.0	0.0	0.0	0.0		

Available River Flow	Value
Duncan	185.7
Safford	177.3

Sudden Freshets in UV	Value
Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	11/29/18	A-H Data	11/30/18
Inflow to CD	108.0	AH Diversions	20.0
Coolidge Release	3.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	20.0
NFR from CD	3.0	NF not Rel. @ AH	105.0
NF not Released	105.0	Total NF @ AH	145.0

Reservoir Data	11/29/18	Inflow (-)	Available for Release to SCIIP
SC Res Elevation	2,410.28		
SC Res Storage	14,650	(AF)	14,649
SC Res AF	154		220

Water Quality Data	11/29/18
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	960
Water Quality at Geronimo	1,420
River Flow at Geronimo	119.0
Seasonal Average Salinity	2,704
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 11/30/18	Yesterday 11/29/18	Day -1 11/28/18	Day -2 11/27/18	Day -3 11/26/18	Day -4 11/25/18	Day -5 11/24/18
Gila at Blue Creek	No	81.0	77.0	83.0	81.0	80.0	83.0	79.0
San Francisco at Clifton	No	63.0	61.0	61.0	58.0	58.0	59.0	58.0
Duncan-Virden Diversions		2.4	2.4	2.4	2.4	2.4	2.4	7.2
D-V Gain		10.4	1.4	3.4	-0.6	-2.6	1.2	2.3
Head of Safford	No	146.0	143.0	140.0	135.0	137.0	131.0	132.0
Safford Diversions		5.8	8.0	6.5	6.8	6.8	6.8	6.8
Safford Gain		-21.0	-25.5	-20.3	-24.3	-20.2	-21.2	-22.2
Calva	No	114.0	108.0	108.0	106.0	104.0	104.0	103.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	3.0	3.0	3.0	55.0	53.0	3.0	3.0
CD-AH Actual Flow Gain		52.3	50.4	-19.6	-18.4	32.6	14.4	9.4
Kelvin	No	33.0	49.0	14.0	16.0	19.0	25.0	43.0
Winkelman Diversions		15.3	15.6	15.4	14.6	15.6	12.4	12.4
AH Spilled & Sluiced		20.0	40.0	10.0	10.0	10.0	0.0	0.0
AH Diversions	No	20.0	40.0	10.0	10.0	10.0	5.0	0.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		12.1	7.9
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		12.1	7.9
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		12.1	7.9