

Call System Version 7.08

12/2/2017	Priority Year	Override Year	Regulation Year
Duncan-Virden	1907		1897
Upper Safford	1907		1845
Middle Safford	1907		1845
Lower Safford	1907		1845
Winkelman	1895		1884
Ashurst-Hayden	1895		1912

NOTES

1) Minimum Pool "B" = 1 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 59,624 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 2.56 feet above 1881 per data from ASARCO _Water Plane Depth 1883.56 on 11/30/17. No Data.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	21.1	0.0	0.0	0.0
New Model Valley	9.0	16.9	9.0	9.0	0.0
Valley	0.0	8.1	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	9.0	46.0	9.0	9.0	0.0

Upper Safford

Brown	0.0	9.7	0.0	0.0	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	37.8	0.0	0.0	0.0
Montezuma	0.0	39.8	0.0	0.0	0.0
Union Sunflower	0.0	57.3	0.0	0.0	0.0
Graham	0.0	31.7	0.0	0.0	0.0
Smithville	0.0	22.1	0.0	0.0	0.0
Dodge-Nevada	0.0	12.7	0.0	0.0	0.0
TOTAL	0.0	213.1	0.0	0.0	0.0

Middle Safford

Curtis	0.0	19.3	0.0	0.0	0.0
Fort Thomas	0.0	11.4	0.0	0.0	0.0
TOTAL	0.0	30.7	0.0	0.0	0.0

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	3.6	0.0	0.0	0.0
TOTAL	0.0	3.6	0.0	0.0	0.0

Winkelman

ASARCO	N/A	N/A	15.0	N/A	15.0
Kearny	0.3	1.3	0.3	0.3	0.0
Winkelman Ag	0.0	0.0	0.0	0.0	0.0
TOTAL	0.3	1.3	15.3	0.3	15.0

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	41.9	41.9	121.1
Pima Agency	55.0	229.5	57.9
TOTAL	96.9	271.4	179.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	6

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model Valley	9.0	9.0	9.0	9.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	9.0	9.0	9.0	9.0		

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.3	0.3	0.3	0.3	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.3	14.3	14.3	14.3		

SCIIP

SCIDD	41.9	41.9	121.1
Pima Agency	55.0	229.5	57.9
TOTAL	96.9	271.4	179.0

Available River Flow	
Duncan	102.3
Safford	96.3

SCIDD Call	115.0	115.0	115.0	115.0	Yes
SCIDD Order	115.0	115.0	115.0	115.0	Yes
Pima Agency Call	55.0	55.0	55.0	55.0	Yes
P.A. Order	55.0	55.0	55.0	55.0	Yes
TOTAL ORDER	170.0	170.0	170.0	170.0	

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	12/1/17	A-H Data	12/2/17
Inflow to CD	104.0	AH Diversions	179.0
Coolidge Release	197.0	SW @ AH	81.8
SWR from CD	93.0	NF @ AH	97.2
NFR from CD	104.0	NF not Rel. @ AH	0.0
NF not Released	0.0	Total NF @ AH	97.2

Retaining Water for Mechanical Reasons?	No		
SCIIP releasing retained water?	No		
Reservoir Data	12/1/17	Inflow (-)	Available
SC Res Elevation	2,426.69	Outflow	for Release
SC Res Storage	59,631	(AF)	to SCIIP
SC Res AF	-257		59,625

Water Quality Data		12/1/17
Water Quality at San Jose		0
Water Quality at Smithville		0.0
WQ at Fort Thomas		0
Water Quality at Geronimo		1,249
River Flow at Geronimo		108.0
Seasonal Average Salinity		2,631
WQ at Anderson Flat		

River Data	Estimated Gage Today	Today 12/2/17	Yesterday 12/1/17	Day -1 11/30/17	Day -2 11/29/17	Day -3 11/28/17	Day -4 11/27/17	Day -5 11/26/17
Gila at Blue Creek	No	51.0	44.0	51.0	64.0	73.0	71.0	70.0
San Francisco at Clifton	No	43.0	44.0	46.0	40.0	35.0	41.0	44.0
Duncan-Virden Diversions		9.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		28.0	27.0	19.0	15.0	12.0	9.0	6.0
Head of Safford	No	116.0	124.0	123.0	123.0	124.0	123.0	119.0
Safford Diversions		0.0	0.0	0.0	0.0	0.0	0.0	0.0
Safford Gain		-17.0	-19.0	-22.0	-25.0	-24.0	-21.0	-27.0
Calva	No	107.0	104.0	101.0	99.0	99.0	98.0	94.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	197.0	197.0	197.0	197.0	199.0	197.0	197.0
CD-AH Actual Flow Gain		-2.7	-2.7	-2.3	-4.3	0.5	-7.6	-6.6
Kelvin	No	185.0	185.0	182.0	182.0	182.0	182.0	185.0
Winkelman Diversions		15.3	15.3	15.7	15.7	18.5	12.4	13.4
AH Spilled & Sluiced		0.0	0.0	0.0	0.0	0.0	0.0	0.0
AH Diversions	No	179.0	179.0	179.0	179.0	179.0	177.0	179.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		55.0	42.2
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		55.0	42.2
NF as SW	0.0		
Total SW	81.8		
SW Div.		0.0	72.8
Excess SW	9.0		
Excess SW Div.		2.9	6.1
Total SW Div.		2.9	78.9
Total Div.		57.9	121.1